

CPF92GMBL

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 ELECTRICITY Gas Thermo-ventilated Static Vapor Clean 8017709300357 A A



Aesthetics

| DIGI screen | | | |
|-----------------------------|----------------------|---------------------|-----------------|
| Aesthetic | Portofino | Controls colour | Stainless steel |
| Design | Flush fit | No. of controls | 8 |
| Colour | Black | Serigraphy colour | Silver |
| Command panel finish | Enamelled metal | Display name | DigiScreen |
| Logo | Assembled st/steel | Door | With frame |
| Logo position | Facia below the oven | Glass type | Grey |
| Upstand | Yes | Handle | Smeg Portofino |
| Hob colour | Stainless steel | Handle Colour | Black |
| Type of pan stands | Cast Iron | Storage compartment | Door |
| Type of control setting hob | Control knobs | Feet color | Black |
| Type of control knobs | Smeg Portofino | | |

Programs / Functions main oven





Other functions

*

Defrost by time

Cleaning functions



Vapor clean

Programs / Functions auxiliary oven

| Cooking functions cavity 2 Traditional cooking functions, cavi | 4 ty 2 | | |
|---|-------------|--------|--|
| Static | Small grill | Bottom | |

Hob technical features



ignition

Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Semi Rapid - 1.80 kWType of gas burnersStandardAutomatic electronicYes

Gas safety valves Burner caps

Yes Matt black enamelled

Main Oven Technical Features

| 701t 📃 .5 oʻ | | | |
|--------------------------|-------------------|---------------------------|----------------|
| No. of lights | 1 | Removable inner door | Yes |
| Fan number | 1 | Total no. of door glasses | 3 |
| Net volume of the cavity | 701 | No.of thermo-reflective | 1 |
| Gross volume, 1st cavity | 791 | door glasses | |
| Cavity material | Ever Clean enamel | Safety Thermostat | Yes |
| No. of shelves | 5 | Cooling system | Tangential |
| Type of shelves | Metal racks | Usable cavity space | 360X460X425 mm |
| Light type | Halogen | dimensions (HxWxD) | |
| Light Power | 40 W | Temperature control | Electronic |
| Cooking time setting | Start and Stop | Lower heating element | 1200 W |
| Light when oven door is | • | power | |
| open | | Upper heating element - | 1000 W |
| Door opening | Flap down | Power | |
| Removable door | Yes | Grill elememt | 1700 W |
| Full glass inner door | Yes | Large grill - Power | 2700 W |



Circular heating element 2000 W - Power Grill type Electric

Options Main Oven

| Timer | Yes | Minimum Temperature | 50 °C |
|-------------------------|-----|---------------------|--------|
| End of cooking acoustic | Yes | Maximum temperature | 260 °C |
| alarm | | | |

Second Oven Technical Features

| JSIE 🧾 🚑 🗍 | | | |
|-----------------------|-------------------|-------------------------|--------------------|
| Fan number | 1 | Removable inner door | Yes |
| Net volume of the | 351 | No. total door glasses | 3 |
| second cavity | | No. thermo-reflective | 1 |
| Gross volume, 2nd | 361 | door glasses | |
| cavity | | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Cooling system | Tangential |
| No. of shelves | 4 | Usable cavity space | 311x206x418 mm |
| Type of shelves | Metal racks | dimensions (HxWxD) | |
| No. of lights | 1 | Temperature control | Electro-mechanical |
| Light type | Incandescent | Lower heating element - | 700 W |
| Light Power | 25 W | power | |
| Door opening | Flap down | Upper heating element - | 600 W |
| Removable door | Yes | Power | |
| Full glass inner door | Yes | Grill element - power | 1300 W |
| 5 | | Large grill - Power | 1900 W |
| | | Grill type | Electric |

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Accessories included for Main Oven & Hob

| Rack with back and side | 1 | Grill mesh | 1 |
|-------------------------|---|-------------------------|---|
| stop | | Telescopic Guide rails, | 1 |
| 20mm deep tray | 1 | total Extraction | |
| 40mm deep tray | 1 | | |
| | | | |

Accessories included for Secondary Oven

| Rack with back and side stop | 1 | Grill mesh | 1 |
|---------------------------------|---|------------|---|
| Wide baking tray | 1 | | |



Electrical Connection

| Plug | Not present | Electric cable | Installed, Single phase |
|------------------------------|-------------|------------------------------|-------------------------|
| Electrical connection rating | 5200 W | Power supply cable length | 120 cm |
| Current | 23 A | Additional connection | Double and Three Phase |
| Voltage | 220-240 V | modalities | |
| Voltage 2 (V) | 380-415 V | Frequency | 50/60 Hz |
| 5 . , | | Terminal block | 5 poles |





Compatible Accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1



Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

BNP608T



GTT







GTP

BN640

BBQ

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

Double sided plate BBQ. Suitable for

in the oven with the typical taste of

grilled cooking. The ribbed side is

cheeses. The smooth side for fish,

seafood and vegetables.

particularly suitable for meats and

Enamelled tray suitable for 45cm and

for cooking and roasting meat and fish

in sauces. Also ideal for experimenting

with lighter and crunchy side dishes

60cm ovens. Depth 540 mm. Perfect

recreating succulent and crispy dishes



KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers



KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



кітѕв9мв



KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers

KITPD



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

•se•smeg



SFLK1

Child lock

STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

WOKGHU



Cast iron WOK Support

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

TPKCPF9

Stainless steel teppanyaki plate, suitable for Portofino cookers

-se-smeg

Symbols glossary



•se•smeg

| | Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking. | | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |
|-------|--|-----------|---|
| | The inner door glass: can be removed with a few quick movements for cleaning. | 0 | Side lights: Two opposing side lights increase visibility inside the oven. |
| De | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. | <u>.4</u> | The oven cavity has 4 different cooking levels. |
| .5 | The oven cavity has 5 different cooking levels. | | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. |
| | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. | UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |
| V | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity. | 35 It | The capacity indicates the amount of usable space in the oven cavity in litres. |
| 70 It | The capacity indicates the amount of usable space in the oven cavity in litres. | | |



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Electronic control

Electronic control for timely temperature management and heat uniformity

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

•ss•smeg

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat