



# CPF92IMA

Categorie fornuis	90x60 cm
N. of cavities with energy label	2
Cavity heat source	Elektriciteit
Type kookplaat	Inductie
Type primaire oven	Thermogeventileerd
Type secundaire oven	Statisch
Reinigingssysteem primaire oven	Vapor Clean reiniging
EAN-code	8017709300401
Energie-efficiëntieklasse	A
Energie-efficiëntieklasse, tweede oven	A



## Design

			
<b>Design</b>	Flush fit	<b>Aantal bedieningsknoppen</b>	8
<b>Afwerking bedieningspaneel</b>	Gekleurd plaatstaal	<b>Kleur serigrafie</b>	Zilver
<b>Design</b>	Portofino	<b>Display</b>	DigiScreen
<b>Logo</b>	Assembled st/steel	<b>Deur</b>	Met kader
<b>Kleur</b>	Antraciet	<b>Type glas</b>	Grijs
<b>Positie logo</b>	Strook onder de oven	<b>Handgreep</b>	Smeg Portofino
<b>Kleur kookplaat</b>	Inox	<b>Kleur handgreep</b>	Antraciet
<b>Bediening</b>	Bedieningsknoppen	<b>Opbergruimte</b>	Opbergvak met klep
<b>Bedieningsknoppen</b>	Smeg Portofino	<b>Pootjes</b>	Zwart
<b>Kleur bedieningsknoppen</b>	Inox		


## Programma's / Functies

Aantal kookfuncties	7
---------------------	---

## Traditionele bereidingsfuncties

 Statisch	 Geventileerd	 Circulatie (ventilator + circulaire)
 ECO	 Grote grill	 Ventilator + grote grill
 Geventileerde onderwarmte		

## Overige functies

 Ontdooien op tijd
--



## Reinigingsfuncties

 Vapor Clean reiniging
--

## Programma's / Functies secundaire oven

Aantal kookfuncties 3

### Traditionele bereidingsfuncties, 2e oven

 Statisch	 Kleine grill	 Onderwarmte
---	--	---

## Technische specificaties kookplaat

Totaal aantal kookzones 5

Linksvoor - Inductie - Multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Linksachter - Inductie - Multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Midden - Inductie - enkel - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rechtsachter - Inductie - enkel - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Rechtsvoor - Inductie - enkel - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Number of Flexible zones 1

## Technische specificaties primaire oven



<b>Aantal lampen</b>	1	<b>Uitneembaar glas binnendeur</b>	Ja
<b>Aantal ventilatoren</b>	1	<b>Aantal ruiten ovendeur</b>	3
<b>Netto volume 1e oven</b>	70 l	<b>Aantal thermo-reflecterende ruiten</b>	2
<b>Bruto volume, oven 1</b>	79 l	<b>Veiligheidsthermostaat</b>	Ja
<b>Materiaal ovenruimte</b>	Ever Clean emaille	<b>Koelsysteem</b>	Mantelkoeling
<b>Aantal kookniveaus</b>	5	<b>Afmetingen bruikbare interne ovenruimte (hxbxd)</b>	360X460X425 mm
<b>Type ovenrekken</b>	Metalen zijsteunen		
<b>Type licht</b>	Halogeen		
<b>Vermogen lamp</b>	40 W		

<b>Opties bereidingstijdprogrammering</b>	Begin en eind	<b>Temperatuurregeling</b>	Elektronisch
<b>Automatische inschakeling verlichting bij openen deur</b>	Ja	<b>Onderwarmte - vermogen</b>	1200 W
<b>Opening deur</b>	Neerwaarts	<b>Bovenwarmte - vermogen</b>	1000 W
<b>Uitneembare ovendeur</b>	Ja	<b>Grill - vermogen</b>	1700 W
<b>Volledig glazen binnendeur</b>	Ja	<b>Grote vlakgrill - vermogen</b>	2700 W
		<b>Circulatie - vermogen</b>	2000 W
		<b>Grill type</b>	Elektrisch

## Opties primaire oven

<b>Timer</b>	Ja	<b>Minimum temperatuur</b>	50 °C
<b>Geluidssignaal einde kooktijd</b>	Ja	<b>Maximum temperatuur</b>	260 °C

## Technische specificaties secundaire oven



<b>Aantal ventilatoren</b>	1	<b>Uitneembaar glas binnendeur</b>	Ja
<b>Netto volume 2e oven</b>	35 l	<b>Aantal ruiten ovendeur</b>	3
<b>Bruto volume, oven 2</b>	36 l	<b>Aantal thermo-reflecterende ruiten</b>	2
<b>Materiaal ovenruimte</b>	Ever Clean emaille	<b>Veiligheidsthermostaat</b>	Ja
<b>Aantal kookniveaus</b>	4	<b>Koelsysteem</b>	Mantelkoeling
<b>Type ovenrekken</b>	Metalen zijsteunen	<b>Afmetingen bruikbare interne ovenruimte (hxbxd)</b>	311x206x418 mm
<b>Aantal lampen</b>	1	<b>Temperatuurregeling</b>	Elektro-mechanisch
<b>Type lamp</b>	Gloeilamp	<b>Onderwarmte - vermogen</b>	700 W
<b>Vermogen lamp</b>	25 W	<b>Bovenwarmte - vermogen</b>	600 W
<b>Opening deur</b>	Neerwaarts	<b>Grill - vermogen</b>	1300 W
<b>Uitneembare ovendeur</b>	Ja	<b>Grote vlakgrill - vermogen</b>	1900 W
<b>Volledig glazen binnendeur</b>	Ja	<b>Type grill</b>	Elektrisch

## Opties secundaire oven

<b>Minimum temperatuur</b>	50 °C	<b>Maximum temperatuur</b>	245 °C
----------------------------	-------	----------------------------	--------

## Meegeleverde accessoires primaire oven en kookplaat



<b>Ovenrooster met stop</b>	1	<b>Inzetrooster</b>	1
-----------------------------	---	---------------------	---


Bakplaat (20 mm)	1	Telescopische geleiders, 1
Bakplaat (40 mm)	1	volledig uitschuifbaar

## Meegeleverde accessoires secundaire oven

Ovenrooster met stop	1	Inzetrooster	1
Bakplaat	1		

## Elektrische aansluiting

Nominale aansluitwaarde	11000 W	Type stroomkabel	Double and Three Phase
Stroom	33 A	Frequentie	50/60 Hz
Spanning	220-240 V	Connection box	5 polig
Spanning 2 (V)	380-415 V	Stekker	Nee
Electric cable	Installed, Single phase		



## Compatible Accessories

### AIRFRY



### BBQ

Dubbelzijdig



### BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### GTT

Volledig uitschuifbare telescopische rails (1 niveau) voor traditionele ovens (SF-).



### KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



### KITPAX

Height extension feet, stainless steel, (950mm) suitable for Master, Sinfonia and Portofino 90cm cookers (914-968mm); Height extension feet (900mm), st/steel, suitable for Concerto cookers with 850mm height (880-935mm)



### KITPD

Height extension black feet (950 mm), black, suitable for Master, Sinfonia and Portofino 90cm (914-968mm); Height extension black feet (900 mm), black, suitable for Concerto cookers with 850mm height (880-935mm)



### AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



### BNP608T

Teflon bakplaat, 8mm diep




### GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers



### KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers



### KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)




### SCRP

Schraper voor inductie- en vitrokeramische kookplaten





**SFLK1**  
Child lock



**SMOLD**  
Set van 7 siliconen vormen voor ijsjes, pralines, ijsblokjes of porties. -60°C tot 230°C.


























**STONE**  
Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



**TPKPLATE**  
Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

## Symbols glossary

 <p>Automatic merge of zones for a bigger area</p>	 <p>Energy efficiency class A</p>
 <p>Installation in column: Installation in column.</p>	 <p>Air cooling system: to ensure a safe surface temperatures.</p>
 <p>Defrost by time: Manual defrost function. At the end of the set duration, the function stops.</p>	 <p>Triple glazed doors: Number of glazed doors.</p>
 <p>ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.</p>	 <p>Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.</p>
 <p>Circogas: In gasovens verdeelt de ventilator de warmte snel en gelijkmatig over de ovenruimte, waardoor smaakoverdracht wordt vermeden bij het tegelijkertijd bereiden van een aantal verschillende gerechten. In elektrische ovens voltooit deze combinatie het koken van voedsel dat aan de oppervlakte klaar is, maar dat van binnen meer moet worden gekookt, zonder verder bruin te worden.</p>	 <p>Ventilator met bovenste en onderste elementen: De elementen in combinatie met de ventilator zijn bedoeld om een meer gelijkmatige warmte te bieden, een methode die vergelijkbaar is met conventioneel koken, dus voorverwarmen is vereist. Het meest geschikt voor items die langzaam koken vereisen.</p>
 <p>Alleen boven- en onder element: een traditionele kookmethode die het meest geschikt is voor losse items in het midden van de oven. de bovenkant van de oven zal altijd het heetst zijn. Ideaal voor gebraden vlees, fruitcake, brood etc.</p>	 <p>Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.</p>
 <p>Circulaire: De combinatie van de ventilator en het ronde element eromheen zorgt voor een hete lucht kookmethode. Dit biedt vele voordelen, waaronder geen voorverwarmen als de kooktijd meer dan 20 minuten bedraagt, geen smaakoverdracht bij het gelijktijdig bereiden van verschillende soorten voedsel, minder energie en kortere kooktijden. Geschikt voor alle soorten voedsel.</p>	 <p>De combinatie van de grill, de ventilator en onderwarmte is interessant voor het bereiden van kleine hoeveelheden.</p>
 <p>Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.</p>	 <p>Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.</p>

- 
- |  |   |   |   |
|--|---|---|---|
|    | Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.   |    | Light   |
|    | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.  |    | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.                  |
|    | The inner door glass: can be removed with a few quick movements for cleaning.   |    | Side lights: Two opposing side lights increase visibility inside the oven.  |
|    | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |    | The oven cavity has 4 different cooking levels.   |
|    | The oven cavity has 5 different cooking levels.   |    | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. |
|   | Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.  |   | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.                        |
|  | The capacity indicates the amount of usable space in the oven cavity in litres.   |  | The capacity indicates the amount of usable space in the oven cavity in litres.                                   |
|  | DIGI screen display + bedieningsknoppen   |  | Knobs control   |

## Benefit (TT)

---

### **Induction hob**

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

### **Vapor Clean**

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

### **Touch control**

Easy and intuitive timer setting with a single touch

### **Storage compartment**

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

### **True-convection**

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### **Multilevel cooking**

Several cooking levels allow maximum flexibility of use

### **Multilevel halogen light**

Internal halogen lighting on different levels guarantees excellent visibility

### **Removable inner glass**

Internal door glasses are easily removable for complete cleaning

### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

### **Electronic control**

Electronic control for timely temperature management and heat uniformity

### **Telescopic guides**

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

### **Adjustable height**

Cooker top flushed with the working area thanks to adjustable feet

### **AirFry (AIRFRY optional accessory)**

Lighter and tastier food thanks to airfry basket (optional accessory)

### **Cold door**

During any function, the external door glass is cold, avoiding any risk of burns

### **Pizza stone (optional accessory)**

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

### **BBQ (optional accessory)**

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### **Single turbine**

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat