

CPF9GPYWA

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code

90x60 cm 1 ELECTRICITY Gas Thermoseal Pyrolitic 8017709250041



Aesthetics


| Aesthetic | Portofino | Controls colour | Stainless steel |
|-------------------------|----------------------|---------------------|-----------------|
| Design | Flush fit | No. of controls | 8 |
| Colour | Yellow | Serigraphy colour | Black |
| Command panel finish | Enamelled metal | Display | TFT |
| Logo | Assembled st/steel | Door | With frame |
| Logo position | Facia below the oven | Glass type | Grey |
| Upstand | Yes | Handle | Smeg Portofino |
| Hob colour | Stainless steel | Handle Colour | coloured |
| Type of pan stands | Cast Iron | Storage compartment | Push pull |
| Type of control setting | Control knobs | Feet | Black |
| Control knobs | Smeg Portofino | Plinth | Black |

Programs / Functions

No. of cooking functions

10





Hob technical features



| UR | | | |
|-------------------------------|--|---|---|
| Total no. of cook zones | 6 | | |
| Front left - Gas - 2UR (duo | al) - 4.20 kW | | |
| Rear left - Gas - AUX - 1.0 | 00 kW | | |
| Front centre - Gas - AUX - | - 1.00 kW | | |
| Rear centre - Gas - Semi F | | | |
| Front right - Gas - Semi Re | apid - 1.80 kW | | |
| Rear right - Gas - Rapid - | 3.00 kW | | |
| Type of gas burners | Standard | Gas safety valves | Yes |
| Automatic electronic ignition | Yes | Burner caps | Matte black enamelled |
| | Total no. of cook zones Front left - Gas - 2UR (dua Rear left - Gas - AUX - 1.0 Front centre - Gas - AUX - Rear centre - Gas - Semi I Front right - Gas - Semi R Rear right - Gas - Rapid - Type of gas burners Automatic electronic | Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Rapid - 3.00 kWType of gas burnersStandardAutomatic electronicYes | Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Rapid - 3.00 kWType of gas burnersStandardAutomatic electronicYesBurner caps |

Main Oven Technical Features

| *** II5It 🧾 <u>.5</u> | | | |
|--------------------------|-------------------|---------------------------|------------|
| No. of lights | 2 | Total no. of door glasses | 4 |
| Fan number | 3 | No.of thermo-reflective | 3 |
| Net volume of the cavity | 115 | door glasses | |
| Gross volume, 1st cavity | 126 I | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Heating suspended | Yes |
| No. of shelves | 5 | when door is opened | |
| Type of shelves | Metal racks | Cooling system | Tangontial |
| Light type | Halogen | Cooling system | Tangential |
| | - | | |



| Light Power 40 W Cooking time setting Start and Stop | 40 W Start and Stop | Door Lock During Pyrolisis | Yes |
|---|------------------------|---|----------------|
| Light when oven door is open | | Usable cavity space dimensions (HxWxD) | 371x724x418 mm |
| Door opening | Flap down | Temperature control | Electronic |
| Removable door Yes Full glass inner door Yes Removable inner door Yes | | Lower heating element power | 1700 W |
| | | Upper heating element - Power | 1200 W |
| | | Grill elememt | 1700 W |
| | | Large grill - Power | 2900 W |
| | | Circular heating element - Power | 2 x 1850 W |
| | | Grill type | Electric |
| | | Soft Close system | Yes |

Options Main Oven

| Timer | Yes | Minimum Temperature | 50 °C |
|-------------------------|-----|---------------------|--------|
| End of cooking acoustic | Yes | Maximum temperature | 260 °C |
| alarm | | | |


Accessories included for Main Oven & Hob

| Rack with back and s | side 1 | Grill mesh | 1 |
|----------------------|--------|-------------------------|---|
| stop | | Telescopic Guide rails, | 1 |
| 20mm deep tray | 1 | partial Extraction | |
| 40mm deep tray | 1 | | |
| | 1 1 | • | - |

Electrical Connection

| Plug Electrical connection | (I) Australia 4000 W | Type of electric cable installed | Yes, Single phase |
|-------------------------------|-------------------------|----------------------------------|-----------------------|
| rating | | Cable testing | Yes |
| Current | 18 A | Type of electric cable | Yes, Double and Three |
| Voltage | 220-240 V | | Phase |
| Voltage 2 (V) | 380-415 V | Frequency | 50/60 Hz |
| | | Terminal block | 5 poles |







Compatible Accessories

AIRFRY9




Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN920



Enamelled tray 90cm cavity, 20mm deep

GTP





Cover strip for hob back side, suitable for 90 cm Portofino cookers with piro oven



КІТРВХ

Height reduction feet (850 mm)



BBQ9

teflon-coated aluminum grid for 90 cm cavity

BN940

Enamelled tray 90 cm, 40 mm deep

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH95CPF9

Height extension kit (950 mm), suitable for Portofino cookers



KITPC9X9

Splashback, 90 cm, for Sinfonia and Portofino pyrolytic cookers

PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm

T

KITPD

Heigh extension black feet (950 mm) for cookers

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SFLK1 Child lock









SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

TPKCPF9

Teppanyaki grill plate, suitable for Portofino cookers



Symbols glossary

| ** | Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens. | | Heavy duty cast iron pan stands: for maximum stability and strength. |
|------------------|---|-------------------|--|
| | Installation in column: Installation in column | 0 | Knobs control |
| <u>ن</u> ین | Air cooling system: to ensure a safe surface temperatures. | * | Defrost by time: with this function the time of thawing of foods are determined automatically. |
| * | Defrost by weight: With this function the defrosting time is determined | COMPACT screen | |
| | Quadruple glazed: Number of glazed doors. | Ä | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |
| *) | Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food. | (%) | Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods. |
| $\left(\right)$ | Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc. | | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |
| ® | Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food. | ECO | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. |
| \sim | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. | *** | Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities. |



| (%) | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food. | | Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked. |
|------------|---|-------|--|
| | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. | H | The inner door glass: can be removed with a few quick movements for cleaning. |
| 20: 20: | Side lights: Two opposing side lights increase visibility inside the oven. | D. | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
| P | Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior. | P | Pyrolitic: The Eco pyrolitic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours. |
| | Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted | i | Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works |
| .5 | The oven cavity has 5 different cooking levels. | D | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |
| | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. | ŝ | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
| UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | 115 k | The capacity indicates the amount of usable space in the oven cavity in litres. |



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

LCD display

Easy and intuitive user-experience and cook with a simple touch.

Push-pull storage compartment

More space thanks to the lower push-pull compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Electronic control

Electronic control for timely temperature management and heat uniformity

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Soft close

The door is equipped with a specific system for silent closing

Triple Turbine

The oven has three fans and two circular heating elements, allowing cooking with rotating heat

Sabbath mode

Possibility of cooking food in compliance with the provisions of the Jewish religious holiday of rest, thanks to Sabbath mode