

CPR315N

Product Family Commercial height

Type

Drawer 14 cm

Warming/reheat



Aesthetics

Aesthetics Colour **Finishing**

Classic Matte Black Matte

Material Logo Logo position Painted material Silk screen External

Controls

Type of control setting Type of temperature

control

No. of controls

Control knobs

Electro-mechanic

Control knobs Controls colour Standard Steel effect

Program / Functions

Defrost Proofing Mug warmer Keep warm Dish warmer Reheating

Yes Yes Yes Yes Yes Yes

Technical Features

Opening mechanism Base material Max weight allowance Push-pull Stainless steel 15 kg

Capacity Type of heating Accessories included

21 I Fan assisted Silicon antislip mat



Maximum drawer loading weight

85 kg

Electrical Connection


Plug(F;E) SchukoVoltage (V)220-240 VNominal power400 WFrequency (Hz)50-60 Hz

Current 2 A

Logistic Information

Width (mm) 597 mm Product Height (mm) 135 mm

Depth (mm) 538 mm





Compatible Accessories

KITCABLE90UK

Cable with IEC connector and UK plug



Alternative products

CPR315X

Colour: Stainless steel





Symbols glossary



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.