

# CPR315X

Product Family Commercial height

Type

Drawer 14 cm

Warming/reheat



### **Aesthetics**

Aesthetics Colour Finishing Material Classic Stainless steel Fingerproof Stainless steel

Control knobs

Electro-mechanic

Type of steel Logo

Logo position

Brushed Embossed External

### **Controls**

Type of control setting
Type of temperature

control

No. of controls 1

Control knobs Controls colour Standard Steel effect

## **Programs / Functions**

DefrostYesProofingYesMug warmerYesKeep warmYesDish warmerYesReheatingYes

### **Technical Features**

Opening mechanism Base material Max weight allowance Push-pull Stainless steel 15 kg

Capacity
Type of heating

21 | Ean assis

Fan assisted



Maximum drawer loading weight

85 kg

Accessories included

Silicon antislip mat


## **Electrical Connection**

Plug (F;E) Schuko Nominal power 400 W Current 2 A Voltage (V) Frequency (Hz) 220-240 V 50-60 Hz

# **Logistic Information**

Width (mm) Depth (mm) 597 mm 538 mm Product Height (mm)

135 mm





## Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug



### Benefit

#### Functions available

Select functions directly from the control knob: keep warm, reheating, defrost, dish warmer, proofing and mug warmer

#### Steel base

Presence of non-slip silicone mat; removable and useful for placing dishes without them slipping, to avoid soiling the base of the drawer and to prevent scratches.

#### Push-pull door opening

Effortlessly open and close the drawer with a simple push mechanism