

# CPR315X

**Product Family** Commercial height

Type

Drawer 14 cm

Warming/reheat



## **Aesthetics**

**Aesthetics** Colour **Finishing** Material

Classic Stainless steel Fingerproof Stainless steel Type of steel Logo

Logo position

Brushed **Embossed** External

### Controls

Type of control setting Type of temperature

control

No. of controls

Control knobs

Electro-mechanic

1

Control knobs Controls colour Standard Steel effect

## **Technical Features**

Opening mechanism Base material

Max weight allowance Maximum drawer loading weight

Push-pull Stainless steel

15 kg 85 kg Capacity Type of heating

Accessories included

21 I

Fan assisted

Silicon antislip mat

## **Electrical Connection**

Plug Nominal power Current


(F;E) Schuko 400 W 2 A

Voltage (V) Frequency (Hz) 220-240 V 50-60 Hz

**SMEG SPA** 13/01/2025



# **Logistic Information**



SMEG SPA 13/01/2025



# Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug

SMEG SPA 13/01/2025



# Benefit

### Functions available

Select functions directly from the control knob: keep warm, reheating, defrost, dish warmer, proofing and mug warmer

#### Steel base

Presence of non-slip silicone mat; removable and useful for placing dishes without them slipping, to avoid soiling the base of the drawer and to prevent scratches.

### Push-pull door opening

Effortlessly open and close the drawer with a simple push mechanism

SMEG SPA 13/01/2025