

CPR315X

Product Family Commercial height

Type

Drawer 14 cm

Warming/reheat



Aesthetics

Aesthetics Colour Finishing Material Classic Stainless steel Fingerproof Stainless steel

Control knobs

Electro-mechanic

Type of steel Logo

Logo position

Brushed Embossed External

Controls

Type of control setting
Type of temperature

control

No. of controls

Control knobs
Controls colour

Standard Steel effect

Program / Functions

DefrostYesProofingYesMug warmerYesKeep warmYesDish warmerYesReheatingYes

1

Technical Features

Opening mechanism Base material Max weight allowance Push-pull Stainless steel 15 kg

Capacity
Type of heating

21 l Fan assi

heating Fan assisted



Maximum drawer loading weight

85 kg

Accessories included

Silicon antislip mat


Electrical Connection

Plug (F;E) Schuko Nominal power 400 W Current 2 A Voltage (V) Frequency (Hz) 220-240 V 50-60 Hz

Logistic Information

Width (mm) 597 mm Depth (mm) 538 mm Product Height (mm)

135 mm





Compatible Accessories

KITCABLE90UK

Cable with IEC connector and UK plug



Alternative products

CPR315N

Colour: Matte Black





Symbols glossary



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.