

# CPR315X

|                   |        |
|-------------------|--------|
| Product Family    | Drawer |
| Commercial height | 14 cm  |
| Type              | Reheat |



## Aesthetics

|           |                 |               |          |
|-----------|-----------------|---------------|----------|
| Aesthetic | Classica        | Type of steel | Brushed  |
| Colour    | Stainless steel | Logo          | Embossed |
| Finishing | Fingerproof     | Logo position | External |
| Material  | Stainless steel |               |          |

## Controls

|                             |                  |                 |              |
|-----------------------------|------------------|-----------------|--------------|
| Type of control setting     | Control knobs    | Control knobs   | Standard     |
| Type of temperature control | Electro-mechanic | Controls colour | Steel effect |
| No. of controls             | 1                |                 |              |

## Program / Functions

|             |     |
|-------------|-----|
| Defrost     | Yes |
| Proofing    | Yes |
| Mug warmer  | Yes |
| Keep warm   | Yes |
| Dish warmer | Yes |
| Reheating   | Yes |

## Technical Features

|                      |                 |                 |              |
|----------------------|-----------------|-----------------|--------------|
| Opening mechanism    | Push-pull       | Capacity        | 21 l         |
| Base material        | Stainless steel | Type of heating | Fan assisted |
| Max weight allowance | 15 kg           |                 |              |


|                               |       |                      |                       |
|-------------------------------|-------|----------------------|-----------------------|
| Maximum drawer loading weight | 85 kg | Accessories included | Silicone antislip mat |
|-------------------------------|-------|----------------------|-----------------------|

## Electrical Connection

|               |              |                |           |
|---------------|--------------|----------------|-----------|
| Plug          | (F;E) Schuko | Voltage (V)    | 220-240 V |
| Nominal power | 400 W        | Frequency (Hz) | 50-60 Hz  |
| Current       | 2 A          |                |           |

## Logistic Information

|            |        |                     |        |
|------------|--------|---------------------|--------|
| Width (mm) | 597 mm | Product Height (mm) | 135 mm |
| Depth (mm) | 538 mm |                     |        |



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

---

## Symbols glossary

---



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.

---

## Benefit (TT)

---

### **Steel base**

Presence of non-slip silicone mat; removable and useful for placing dishes without them slipping, to avoid soiling the base of the drawer and to prevent scratches.

### **Push-pull door opening**

With a simple push, the drawer opens and then closes again by pushing it back.

### **Functions available**

Functions can be selected directly from the knob: keep warm, reheating, defrost, dish warmer, proofing and mug warmer