

# CPR815A

Product Family Commercial height

Type

Drawer 15 cm

Warming/reheat



#### **Aesthetics**

Aesthetics Colour Finishing Coloniale Anthracite Matte Material Logo Logo position

Painted material Silk screen Inside

### **Controls**

Type of control setting No. of controls

Control knobs

Control knobs
Controls colour

Standard Steel effect

## **Program / Functions**

Defrost Proofing Mug warmer Keep warm Dish warmer Reheating Yes Yes Yes Yes Yes

### **Technical Features**

Opening mechanism
Base material

Max weight allowance
Maximum drawer
loading weight

Push-pull Stainless steel 15 kg

15 kg 85 kg Capacity
Type of heating
Accessories included

21 l Fan assisted Silicon antislip mat




## **Electrical Connection**

Plug(F;E) SchukoVoltage (V)220-240 VNominal power400 WFrequency (Hz)50-60 Hz

Current 2 A

# **Logistic Information**







# **Compatible Accessories**

KITCABLE90UK

Cable with IEC connector and UK plug



## **Benefit**

#### Steel base

Presence of non-slip silicone mat; removable and useful for placing dishes without them slipping, to avoid soiling the base of the drawer and to prevent scratches.

#### Push-pull door opening

Effortlessly open and close the drawer with a simple push mechanism