

CPRT615NR

Product Family Commercial height

Type

Drawer 15 cm

Warming/reheat



Aesthetics

Aesthetics

Colour

Finishing Component finishing

Material

Dolce Stil Novo

Black

Gloss Black

Copper

Glass

Glass type

Front panel

Logo

Logo position

Eclipse

With horizonal strip

Silk screen

Inside

Controls

Display

Yes

Digi Touch

Type of temperature

control

Electronic

Programs / Functions

Type of control setting

Defrost

Proofing

Low temperature cooking

Sabbath Mode Mug warmer

Keep warm Dish warmer

Reheating Timer

Delay Timer

Yes

Yes Yes

Yes Yes

Yes Yes

Yes Yes

Yes

Technical Features

SMEG SPA 04/05/2024



Opening mechanism

Base material

Max weight allowance Maximum drawer

loading weight

Push-pull

Stainless steel

15 kg 85 kg

Capacity

Type of heating

Accessories included

21 I

Fan assisted

Silicon antislip mat

Electrical Connection

Plug Nominal power (F;E) Schuko 500 W


Current 2 A Voltage (V) Frequency (Hz) 220-240 V 50-60 Hz

Logistic Information

Width (mm) Depth (mm)

597 mm 538 mm Product Height (mm)

135 mm



SMEG SPA 04/05/2024



Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug

SMEG SPA 04/05/2024



Benefit

Steel base

Presence of non-slip silicone mat; removable and useful for placing dishes without them slipping, to avoid soiling the base of the drawer and to prevent scratches.

Effortlessly open and close the drawer with a simple push mechanism

Effortlessly open and close the drawer with a simple push mechanism

Functions and programmes available

Functions: keep warm, low tempaerature cooking, reheating, defrost, dish warmer, proofing, mug warmer, sabbath mode. Further possible functions: yoghurt and drying by following the instruction manual.

LED display

White LED display; Temperature can be adjusted by 5°, from 30° to 85°.

Timer and Delay Timer

Sabbath Mode

Function that allows food to be cooked in accordance with the provisions of the Jewish religious holiday of rest.

SMEG SPA 04/05/2024