


# CPRT615NR

|                   |                |
|-------------------|----------------|
| Product Family    | Drawer         |
| Commercial height | 14 cm          |
| Type              | Warming/reheat |



## Aesthetics

|                     |                 |               |                       |
|---------------------|-----------------|---------------|-----------------------|
| Aesthetics          | Dolce Stil Novo | Glass type    | Eclipse               |
| Colour              | Black           | Front panel   | With horizontal strip |
| Finishing           | Gloss Black     | Logo          | Silk screen           |
| Component finishing | Copper          | Logo position | Inside                |
| Material            | Glass           |               |                       |

## Controls

|                         |            |                             |            |
|-------------------------|------------|-----------------------------|------------|
| Display                 | Yes        | Type of temperature control | Electronic |
| Type of control setting | Digi Touch |                             |            |

## Program / Functions

|                         |     |
|-------------------------|-----|
| Defrost                 | Yes |
| Proofing                | Yes |
| Low temperature cooking | Yes |
| Sabbath Mode            | Yes |
| Mug warmer              | Yes |
| Keep warm               | Yes |
| Dish warmer             | Yes |
| Reheating               | Yes |
| Timer                   | Yes |
| Delay Timer             | Yes |

## Technical Features

---

|                                      |                 |                             |                      |
|--------------------------------------|-----------------|-----------------------------|----------------------|
| <b>Opening mechanism</b>             | Push-pull       | <b>Capacity</b>             | 21 l                 |
| <b>Base material</b>                 | Stainless steel | <b>Type of heating</b>      | Fan assisted         |
| <b>Max weight allowance</b>          | 15 kg           | <b>Accessories included</b> | Silicon antislip mat |
| <b>Maximum drawer loading weight</b> | 85 kg           |                             |                      |

## Electrical Connection


---

|                      |              |                       |           |
|----------------------|--------------|-----------------------|-----------|
| <b>Plug</b>          | (F;E) Schuko | <b>Voltage (V)</b>    | 220-240 V |
| <b>Nominal power</b> | 500 W        | <b>Frequency (Hz)</b> | 50-60 Hz  |
| <b>Current</b>       | 2 A          |                       |           |

## Logistic Information

---

|                   |        |                            |        |
|-------------------|--------|----------------------------|--------|
| <b>Width (mm)</b> | 597 mm | <b>Product Height (mm)</b> | 135 mm |
| <b>Depth (mm)</b> | 538 mm |                            |        |





---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug