# CPRU330X

| | |
|---|---|
| **Product Family** | Drawer |
| **Commercial height** | 26 cm |
| **Type** | Reheat |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Classica | **Type of steel** | Brushed |
| **Colour** | Stainless steel | **Handle** | Classic |
| **Finishing** | Fingerproof | **Logo** | Silk screen |
| **Material** | Stainless steel | **Logo position** | Inside |

## Controls

| | | | |
|---|---|---|---|
| **Type of control setting** | Control knobs | **Control knobs** | Standard |
| **Type of temperature control** | Electro-mechanic | **Controls colour** | Steel effect |
| **No. of controls** | 1 | | |

## Program / Functions

| | |
|---|---|
| **Defrost** | Yes |
| **Proofing** | Yes |
| **Mug warmer** | Yes |
| **Keep warm** | Yes |
| **Dish warmer** | Yes |
| **Reheating** | Yes |

## Technical Features

| | | | |
|---|---|---|---|
| **Opening mechanism** | With handle | **Type of heating** | Fan assisted |
| **Base material** | Stainless steel | **Minimum temperature** | 30 °C |
| **Max weight allowance** | 15 kg | **Maximum temperature** | 80 °C |


| | | | |
|---|---|---|---|
| **Maximum drawer loading weight** | 235 kg | **Accessories included** | Grid, Silicone antislip mat |
| **Capacity** | 56 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Plug** | (B) USA 120V | **Voltage (V)** | 115 V |
| **Nominal power** | 800 W | **Frequency (Hz)** | 60 Hz |
| **Current** | 7 A | | |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width (mm)** | 28 1/8 " | **Product Height (mm)** | 10 1/16 " |
| **Depth (mm)** | 24 7/16 " | | |



## Symbols glossary



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.