

CS6GMXA

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code 60x60 cm 1 ELECTRICITY Gas Thermoseal Vapour Clean 8017709286514



Aesthetics

| Screen | | | |
|-------------------------|---------------------------|---------------------|--------------------------|
| Aesthetic | Classic | Control knobs | Smeg Classic |
| Serie | Sinfonia | Controls colour | Stainless steel |
| Design | Square design | No. of controls | 6 |
| Colour | Stainless steel | Serigraphy colour | Black |
| Finishing | Satin | Display | Touch |
| Command panel finish | Finger friendly stainless | Door | With 2 horizontal strips |
| | steel | Glass type | eclypse |
| Logo | Assembled st/steel | Handle | Smeg Classic |
| Logo position | Facia below the oven | Handle Colour | Brushed stainless steel |
| Upstand | Yes | Storage compartment | Door |
| Hob colour | Stainless steel | Feet | Silver |
| Type of pan stands | Cast Iron | Plinth | Stainless steel |
| Type of control setting | Control knobs | | |

Programs / Functions

| No. of cooking functions Traditional cooking functions | 8 | |
|---|---------------------------------|-------------|
| Static | Circulaire | Turbo |
| ECO Eco | Small grill | Large grill |
| 😨 Fan grill (large) | \varepsilon Fan assisted bottom | |



Cleaning functions



Vapour Clean

Hob technical features

UR

| Total no. of cook zones 4 | | | | |
|---|----------|-------------------|----------------------|--|
| Front left - Gas - UR - 4.20 kW | | | | |
| Rear left - Gas - Semi Rapid - 1.80 kW | | | | |
| Rear right - Gas - Semi Rapid - 1.80 kW | | | | |
| Front right - Gas - AUX - 1.00 kW | | | | |
| Type of gas burners | Standard | Gas safety valves | Yes | |
| Automatic electronic ignition | Yes | Burner caps | Matt black enamelled | |

Main Oven Technical Features

| 581E 🧾 5 | |
|---------------------------------|-------------------|
| No. of lights | 1 |
| Fan number | 1 |
| Net volume of the cavity | 68 I |
| Gross volume, 1st cavity | 79 I |
| Cavity material | Ever Clean enamel |
| No. of shelves | 5 |
| Type of shelves | Metal racks |
| Light type | Halogen |
| Light Power | 40 W |
| Cooking time setting | Start and Stop |
| Light when oven door is open | Yes |
| Door opening | Flap down |
| Removable door | Yes |
| Full glass inner door | Yes |
| | |

| Yes |
|--------------------|
| 3 |
| 1 |
| |
| Yes |
| Tangential |
| 360x444x425 mm |
| |
| Electro-mechanical |
| 1200 W |
| |
| 1000 W |
| |
| 1700 W |
| 2700 W |
| 2000 W |
| |
| Electric |
| |

Options Main Oven

Timer Yes End of cooking acoustic Yes alarm Minimum Temperature50 °CMaximum temperature260 °C

Accessories included for Main Oven & Hob






| Rack with back and side stop | 2 | Grill mesh | 1 |
|------------------------------|---|---|---|
| 40mm deep tray | 1 | Telescopic Guide rails, partial Extraction | 1 |

Electrical Connection

| Plug Electrical connection | (I) Australia 2700 W | Power supply cable length | 120 cm |
|-------------------------------|-------------------------|------------------------------|----------|
| rating | | Frequency | 50/60 Hz |
| Current | 12 A | Terminal block | 3 poles |
| Voltage | 220-240 V | | |





Compatible Accessories

AIRFRY



browning and crispiness. BGTR9



Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

Air fryer rack AIRFRY . Ideal for

dishes such as French fries, fried

recreating traditional frying in the oven,

but with fewer calories and less fat. It

allows you to cook quickly and simply

vegetables and fish, ensuring perfect

BN640



Enamelled tray, 40mm deep

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KITC6X

Splashback, 60x75 cm, stainless steel, suitable for Master and Sinfonia cookers

PALPZ



Pizza shovel with fold away handle width: 315mm length : 325mm



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN620-1

Enamelled tray, 20mm deep

BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KITPBX

Height reduction feet (850 mm)

SFLK1

Child lock

STONE


Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.







Symbols glossary



quick movements for cleaning.

ss•smeg

| ů. Ú | Side lights: Two opposing side lights increase visibility inside the oven. | | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
|-----------|---|---|---|
| <u>.5</u> | The oven cavity has 5 different cooking levels. | | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. |
| UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | V | Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity. |
| 68 it | The capacity indicates the amount of usable space in the oven cavity in litres. | | |



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat