

CSP9GMMBA2

Cooker size N. of cavities with energy label Hob type Type of main oven Cleaning system main oven EAN code 90x60 cm 1 Gas Thermoseal Pyrolitic 8017709331023



Aesthetics

| Screen | | | |
|-------------------------|---------------------------|---------------------|--------------------------|
| Aesthetic | Classic | Control knobs | Smeg Classic |
| Serie | Sinfonia | Controls colour | Stainless steel |
| Design | Square design | No. of controls | 8 |
| Colour | Matte black | Serigraphy colour | Silver |
| Finishing | Matte black | Display | Touch |
| Command panel finish | Finger friendly stainless | Door | With 2 horizontal strips |
| | steel | Glass type | eclypse |
| Logo | Assembled st/steel | Handle | Smeg Classic |
| Logo position | Facia below the oven | Handle Colour | Brushed stainless steel |
| Upstand | Yes | Storage compartment | Door |
| Hob colour | Stainless steel | Feet | Silver |
| Type of pan stands | Cast Iron | Plinth | Stainless steel |
| Type of control setting | Control knobs | | |

Programs / Functions

| No. of cooking functions Traditional cooking functions | 9 | |
|---|---------------------|-----------------------|
| Static | 🛞 Fan assisted | Circulaire |
| 🛞 Turbo | ECO Eco | Small grill |
| Large grill | 😧 Fan grill (large) | 🛞 Fan assisted bottom |



Cleaning functions



Pyrolytic

Hob technical features

UR

Total no. of cook zones 6 Front left - Gas - UR - 5.10 kW Rear left - Gas - Semi Rapid - 1.80 kW Front centre - Gas - AUX - 1.00 kW Rear centre - Gas - Rapid - 3.00 kW Front right - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Rapid - 3.00 kW Type of gas burners Standard Automatic electronic Yes ignition

Gas safety valves Burner caps Yes Matte black enamelled

Main Oven Technical Features

| 115R 🧾 .5 ኞ | | | |
|---------------------------------|-------------------|---|--------------------|
| No. of lights | 2 | Removable inner door | Yes |
| Fan number | 2 | Total no. of door glasses | 4 |
| Net volume of the cavity | 115 l | No.of thermo-reflective | 2 |
| Gross volume, 1st cavity | 1291 | door glasses | |
| Cavity material | Ever Clean enamel | Safety Thermostat | Yes |
| No. of shelves | 5 | Cooling system | Tangential |
| Type of shelves | Metal racks | Usable cavity space dimensions (HxWxD) | 371x724x418 mm |
| Light type | Halogen | Temperature control | Electro-mechanical |
| Light Power | 40 W | Lower heating element | 1700 W |
| Cooking time setting | Start and Stop | power | |
| Light when oven door is open | Yes | Upper heating element - Power | 1200 W |
| Door opening | Flap down | Grill element | 1700 W |
| Removable door | Yes | Large grill - Power | 2900 W |
| Full glass inner door Yes | Yes | Circular heating element - Power | |
| | | Grill type | Electric |

Options Main Oven

| Timer | Yes | Minimum Temperature | 50 °C |
|-------------------------|-----|---------------------|--------|
| End of cooking acoustic | Yes | Maximum temperature | 280 °C |
| alarm | | | |

Accessories included for Main Oven & Hob




| F | 7 | | |
|----|----|----|---|
| l. | .3 | | 2 |
| | | ۰. | - |

| Cast iron wok support | 1 |
|------------------------------|---|
| Rack with back and side stop | 1 |
| 20mm deep tray | 1 |
| 40mm deep tray | 1 |

| Grill mesh | 1 |
|-------------------------|---|
| Telescopic Guide rails, | 1 |
| partial Extraction | |
| Meat Probe | 1 |

Electrical Connection

| Electrical connection rating | 4200 W | Type of electric cable installed | Yes, Single phase |
|------------------------------|-----------|----------------------------------|--------------------------------|
| Current | 19 A | Type of electric cable | Yes, Double and Three Phase |
| Voltage | 220-240 V | F | |
| Voltage 2 (V) | 220/240 V | Frequency | 50/60 Hz |
| | | Terminal block | 5 poles |





Compatible Accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ9

teflon-coated aluminum grid for 90 cm cavity





deep



Enamelled tray 90cm cavity, 20mm



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



кітрвх

Height reduction feet (850 mm)



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

BN940

Enamelled tray 90 cm, 40 mm deep

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITPC9X9

Splashback, 90 cm, for Sinfonia and Portofino pyrolytic cookers



KITROT9

Rotisserie kit for 90x60 cookers, new cavity (115 L)

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



PALPZ


Pizza shovel with fold away handle width: 315mm length : 325mm



SFLK1 Child lock

•ss•smeg

Symbols glossary





| | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. | P | Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior. |
|------|--|-------|---|
| .5 | The oven cavity has 5 different cooking levels. | | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. |
| UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | 115 R | The capacity indicates the amount of usable space in the oven cavity in litres. |
| DIGI | | 0 | Knobs control |



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

.ss•smeg

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat