

# CV215NF1



Product Family	Freezers
Installation	Free Standing
Category	Single door
Cooling type	No Frost
Hinge type	Standard
Hinge position	Right
Reversible door	Yes



## Aesthetics

Aesthetic	Universale	Side material	Metal
Colour	White	Side colour	White
Material	Steel	Logo	Applied
Handle	Integrated	Drawers profile color	Bianco
Handle type	Fixed	Display	7 segments

## Freezer compartment features

Number of drawers	4
No. of compartments with flap	1

## Other technical features

Fast freezing button	Yes	Refrigerant gas type	R600a
Power on lamp	Yes	Type of compressor	Standard
Temperature alarm lamp	Yes	Refrigerant Quantity (gr)	39 g
Antibacterial Gasket	Yes	Foam agent	Cyclopentane
Type of temperature control	Electronic	Metal panel on the back of the fridge	PP+Al foil
No. of compressors	1		

## Performance / Energy Label - Reg. 2019




Temperature Rise Time 9 h

Annual energy consumption	266 kWh/a	4 star - Freezing capacity	10.0 Kg/24h
Total net volume	177 l	Climate class	SN, N, T
Energy efficiency class	F	EER	125 %
Airborne acoustical noise emission class	C		
Sum of the volumes of the frozen compartment(s)	177 l		

## Electrical Connection

Plug	(F;E) Schuko	Voltage	220-240 V
Electrical connection rating	182 W	Frequency (Hz)	50 Hz
Current	0,50 A		



---

## Symbols glossary

---



4 stars freezing compartment for better food preservation.



Energy efficiency class F



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

---

## Benefit (TT)

---

### **No-Frost Cooling System**

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

### **Reversible Door**

Reversible door ensures flexible installation and space optimisation

### **Climatic Class**

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

### **Integrated Handle**

The integrated handle provides a clean, minimalist design and simplifies cleaning the door

### **R600a Refrigerant Gas**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption