

# CVI040BE



Family	Wine Cooler
Installation	Built-in
Built-In Niche	88 cm
Reference width	Until 60
Reference height	Until 100
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Variable hinge
Hinge position	Right
Reversible door	Yes



## Wine cellar compartment features



Number of fixed shelves	1
Number of removable shelves	4
Number of removable and folding shelves	1
No. of lights	4
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led activated with EMOTION system
Air filter	Activated charcoal filter

## Programs/Functions



Control setting	Touch control	Control lock	Yes
Controls	Inner, in the cellar compartment	Lighting forced ON	In a maximum period
Display	LED	Fan forced ON	Yes
Functions display	Temperature alarm, Demo Mode, Temperature value	Temperature Alarm	Yes
Power on lamp	Yes	Door open alarm	Yes

## Technical Features



Adjustable temperature zones	Compressor type	Low vibration compressor
------------------------------	-----------------	--------------------------


Independent cooling systems	2	Refrigerant gas type	R600a
Number of door glasses	3	Refrigerant Quantity (gr)	26 g
Temperature range	5-20 °C	Foam agent	HFO
Type of temperature control	Electronic	Metal panel on the back of the fridge	Metal
Anti-UV door glass	Yes	Door opening type	With electronic opening system
Integrated heating element	Yes	Door closing type	With E MOTION electronic closing system
Number of compressors	1		

## Performance / Energy Label

			
<b>Max Capacity (bottles 0,75lt)</b>	40	<b>Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)</b>	126 l
<b>Annual energy consumption</b>	147 kWh/a	<b>Climatic class</b>	SN, N, ST
<b>Energy efficiency class</b>	G	<b>EEI</b>	171 %
<b>Airborne acoustical noise emission class</b>	C	<b>Noise level</b>	38 dB(A) re 1 pW
<b>Total volume</b>	126 l		

## Electrical Connection

<b>Electrical connection rating</b>	65 W	<b>Frequency (Hz)</b>	50 Hz
<b>Current</b>	0,3 A	<b>Power supply cable length</b>	150 cm
<b>Voltage (V)</b>	220-240 V	<b>Plug</b>	(F;E) Schuko





---

## Compatible Accessories

---

**KIT040BE**



## Symbols glossary

 A	A: Product drying performance, measured from A+++ to D / G depending on the product family	 The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
 LED DISPLAY	LED display: to show programmes, functions and options selected and the time to the end of the cycle.	 Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
 LED	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.	 Built-in niche
 Touch	Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.	 Energy efficiency class G
 E MOTION	E MOTION opening system: the E MOTION electronic system allows to open the appliance semi-automatically by applying pressure on the door surface.	