

CVI040BE



Family	Adega
Installation	Built-in
Built-In Niche	88 cm
Reference width	Until 60
Reference height	Until 100
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Variable hinge
Hinge position	Right
Reversible door	Yes



Wine cellar compartment features



Number of fixed shelves	1
Number of removable shelves	4
Number of removable and folding shelves	1
N° de lâmpadas	4
Shelves material	Wood
Adjustable shelves	No
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led activated with EMOTION system
Air filter	Activated charcoal filter

Programs/Functions



Control setting	Touch control	Lighting forced ON	In a maximum period
Controls	Inner, in the cellar compartment	Fan forced ON	Yes
Display	LED	Temperature Alarm	Yes
Functions display	Temperature alarm, Demo Mode, Temperature value	Door open alarm	Yes
Power on lamp	Yes	Humidity level setting	No
Control lock	Yes		

Technical Features



Adjustable temperature zones	2	Compressor type	Low vibration compressor
Independent cooling systems	2	Refrigerant gas type	R600a
Number of door glasses	3	Refrigerant Quantity (gr)	26 g
Temperature range	5-20 °C	Espuma expansiva de isolamento	HFO
Type of temperature control	Electronic	Painel de metal na parte de trás da geladeira	Metal
Anti-UV door glass	Yes	Adjustable feet	No
Integrated heating element	Yes	Door opening type	With E MOTION electronic opening system
Antibacterial Gasket	No	Door closing type	With E MOTION electronic closing system
Number of compressors	1		


Etiqueta de Desempenho / Energia - Reg. 2019



Max Capacity (bottles 0,75lt)	40	Soma dos volumes do(s) compartimento(s) refrigerado(s) e do(s) compartimento(s) não congelado(s)	126 l
Consumo de energia anual	147 kWh/a	Classe climática	SN, N, ST
Classe de eficiência energética	G	EEl	171 %
Classe de emissão de ruído acústico aerotransportado	C	Noise level	38 dB(A) re 1 pW
Volume líquido total	126 l		


Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	65 W	Frequency (Hz)	50 Hz
Current	0,3 A	Comprimento do cabo de alimentação	150 cm



Compatible Accessories

KIT040BE



Symbols glossary

	O sistema de descongelamento automático funciona descongelando automaticamente em intervalos regulares, eliminando a necessidade de descongelar completamente.		R: Desempenho de secagem do produto, medido de A++ a D/G, dependendo da família de produtos
	Display LED: para mostrar os programas, funções e opções selecionadas e o tempo até ao final do ciclo.		Ventilado: Distribuição forçada de ar frio no compartimento da geladeira, o que permite uma distribuição uniforme da temperatura dentro da geladeira.
	Classe de eficiência energética G		Iluminação interior LED: é uma forma mais eficiente em termos energéticos e duradoura de iluminar o interior do aparelho.
	Nicho incorporado		Controles táteis: O controles táteis, fáceis de usar, permitem que o aparelho seja programado com o toque de um botão.
	E MOTION opening system: the E MOTION electronic system allows to open the appliance semi-automatically by applying pressure on the door surface.		

Benefit (TT)

Reversible door

Reversible door for easy and versatile installation in any kitchen

E MOTION Electronic Opening System

The innovative E MOTION Electronic Opening System allows convenient opening with a simple touch of the door

A simple touch is enough to unlock the door, which will open slightly thanks to the E MOTION electronic system. To complete the opening, simply accompany the door with your hand. If opening the wine cooler is no longer necessary, the door will close automatically.

UV-protected door glass

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

Display Shelf

The repositionable display shelf ensures that the best bottles are always in view, with the possibility of displaying magnum bottles as well

LED lights

LED lights ensure perfect multi-level visibility inside the wine cooler. Thanks to the E MOTION Electronic Opening System, a simple touch of the door activates the lighting

Activated charcoal air filter

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

Touch Display

Touch display for an easy and accurate temperature management inside the refrigerated compartment

Low-vibration compressor

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine

Telescopic guides

Telescopic sliding guides for easy extraction of wine bottles