


# CVI121B3



|                 |                |
|-----------------|----------------|
| Product Family  | Wine Cooler    |
| Installation    | Built-in       |
| Built-In Niche  | 45 cm          |
| Defrost         | Automatic      |
| Cooling type    | Fan assisted   |
| Hinge type      | Variable hinge |
| Hinge position  | Right          |
| Reversible door | Yes            |



## Wine cooler compartment features



|   |                           |
|---|---------------------------|
| Number of fixed shelves                     | 1                         |
| Number of removable shelves                 | 2                         |
| No. of lights                               | 1                         |
| Shelves material                            | Wood                      |
| Removable shelves on telescopic guide rails | Yes                       |
| Type of internal light                      | LED                       |
| Air filter                                  | Activated charcoal filter |

## Programs / Functions




|                   |                                      |                    |                     |
|-------------------|--------------------------------------|--------------------|---------------------|
| Control setting   | Touch control                        | Control lock       | Yes                 |
| Controls          | Internal, in the compartment         | Lighting forced ON | In a maximum period |
| Display           | LED                                  | Fan forced ON      | Yes                 |
| Functions display | Temperature alarm, Temperature value | Temperature Alarm  | Yes                 |
| Power on lamp     | Yes                                  | Door open alarm    | Yes                 |

## Technical Features

|                              |   |                       |                          |
|------------------------------|---|-----------------------|--------------------------|
| Adjustable temperature zones | 1 | Number of compressors | 1                        |
|                              |   | Compressor type       | Low vibration compressor |
|                              |   | Refrigerant gas type  | R600a                    |


|                             |            |                                       |                       |
|-----------------------------|------------|---------------------------------------|-----------------------|
| Independent cooling systems | 1          | Refrigerant Quantity (gr)             | 20 g                  |
| Number of door glasses      | 2          | Foam agent                            | HFO                   |
| Temperature range           | 5-20 °C    | Metal panel on the back of the fridge | Metal                 |
| Type of temperature control | Electronic | Door opening type                     | With push pull system |
| Anti-UV door glass          | Yes        |                                       |                       |
| Integrated heating element  | Yes        |                                       |                       |

## Performance / Energy Label









|  |              |  |                  |
|--|--------------|--|------------------|
|  |              |  |                  |
| Max Capacity (bottles 0,75lt)  | 21           | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 56 l             |
| Annual energy consumption  | 100 kWh/year | Climatic class   | SN, N, ST        |
| Energy efficiency class  | F            | EEL  | 124 %            |
| Airborne acoustical noise emission class   | C            | Noise level  | 36 dB(A) re 1 pW |
| Total volume   | 56 l         |  |                  |

## Electrical Connection

|               |              |                           |           |
|---------------|--------------|---------------------------|-----------|
| Plug          | (F;E) Schuko | Voltage (V)               | 220-240 V |
| Nominal power | 40 W         | Frequency (Hz)            | 50 Hz     |
| Current       | 0,4 A        | Power supply cable length | 180 cm    |



## Symbols glossary

|  |  |   |  |
|--|--|---|--|
|  | A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.            |
|  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.  |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                          |  | Built-in niche   |
|  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.                                      |  | Energy efficiency class F  |