

# CVI121B3



|                        |                |
|------------------------|----------------|
| <b>Family</b>          | Adega          |
| <b>Installation</b>    | Built-in       |
| <b>Built-In Niche</b>  | 45 cm          |
| <b>Defrost</b>         | Automatic      |
| <b>Cooling type</b>    | Fan assisted   |
| <b>Hinge type</b>      | Variable hinge |
| <b>Hinge position</b>  | Right          |
| <b>Reversible door</b> | Yes            |



smeg

## Wine cellar compartment features



|  |                           |
|--|---------------------------|
| <b>Number of fixed shelves</b>                     | 1                         |
| <b>Number of removable shelves</b>                 | 2                         |
| <b>Nº de lâmpadas</b>                              | 1                         |
| <b>Shelves material</b>                            | Wood                      |
| <b>Adjustable shelves</b>                          | No                        |
| <b>Removable shelves on telescopic guide rails</b> | Yes                       |
| <b>Type of internal light</b>                      | Led                       |
| <b>Air filter</b>                                  | Activated charcoal filter |

## Programs/Functions



|                          |                                      |                               |                     |
|--------------------------|--------------------------------------|-------------------------------|---------------------|
| <b>Control setting</b>   | Touch control                        | <b>Lighting forced ON</b>     | In a maximum period |
| <b>Controls</b>          | Inner, in the cellar compartment     | <b>Fan forced ON</b>          | Yes                 |
| <b>Display</b>           | LED                                  | <b>Temperature Alarm</b>      | Yes                 |
| <b>Functions display</b> | Temperature alarm, Temperature value | <b>Door open alarm</b>        | Yes                 |
| <b>Power on lamp</b>     | Yes                                  | <b>Humidity level setting</b> | No                  |
| <b>Control lock</b>      | Yes                                  |                               |                     |

## Technical Features

**Adjustable temperature zones** 1

**Number of compressors** 1


|                             |            |   |                          |
|-----------------------------|------------|---|--------------------------|
| Independent cooling systems | 1          | Compressor type                               | Low vibration compressor |
| Number of door glasses      | 2          | Refrigerant gas type                          | R600a                    |
| Temperature range           | 5-20 °C    | Refrigerant Quantity (gr)                     | 20 g                     |
| Type of temperature control | Electronic | Espuma expansiva de isolamento                | HFO                      |
| Anti-UV door glass          | Yes        | Painel de metal na parte de trás da geladeira | Metal                    |
| Integrated heating element  | Yes        | Adjustable feet                               | No                       |
| Antibacterial Gasket        | No         | Door opening type                             | With push pull system    |

## Etiqueta de Desempenho / Energia - Reg. 2019

|  | A<br>G    |  |                  |
|--|-----------|--|------------------|
| Max Capacity (bottles 0,75lt)                        | 21        | Soma dos volumes do(s) compartimento(s) refrigerado(s) e do(s) compartimento(s) não congelado(s) | 56 l             |
| Consumo de energia anual                             | 100 kWh/a | Classe climática   | SN, N, ST        |
| Classe de eficiência energética                      | F         | EEI  | 124 %            |
| Classe de emissão de ruído acústico aerotransportado | C         | Noise level  | 36 dB(A) re 1 pW |
| Volume líquido total                                 | 56 l      |  |                  |

## Electrical Connection

|                              |              |                                    |           |
|------------------------------|--------------|------------------------------------|-----------|
| Plug                         | (F;E) Schuko | Voltage (V)                        | 220-240 V |
| Electrical connection rating | 40 W         | Frequency (Hz)                     | 50 Hz     |
| Current                      | 0,4 A        | Comprimento do cabo de alimentação | 180 cm    |



## Symbols glossary



O sistema de descongelamento automático funciona descongelando automaticamente em intervalos regulares, eliminando a necessidade de descongelar completamente.



Display LED: para mostrar os programas, funções e opções selecionadas e o tempo até ao final do ciclo.



Iluminação interior LED: é uma forma mais eficiente em termos energéticos e duradoura de iluminar o interior do aparelho.



Controles táteis: O controles táteis, fáceis de usar, permitem que o aparelho seja programado com o toque de um botão.



A+: A classe de eficiência energética A+ ajuda a economizar até 10% de energia em comparação com a classe A. O desempenho máximo com consumo mínimo é garantido.



Ventilado: Distribuição forçada de ar frio no compartimento da geladeira, o que permite uma distribuição uniforme da temperatura dentro da geladeira.



Nicho incorporado



Classe de eficiência energética F



---

## Benefit (TT)

---

### **Reversible door**

Reversible door for easy and versatile installation in any kitchen

### **Push-pull opening system**

Push-pull opening system for easy opening and closing when needed, with the simple pressure of the surface at the end of the door

### **UV-protected door glass**

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

### **LED lights**

LED lights ensure perfect multi-level visibility inside the wine cooler

### **Activated charcoal air filter**

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

### **Touch Display**

Touch display for an easy and accurate temperature management inside the refrigerated compartment

### **Low-vibration compressor**

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine

### **Telescopic guides**

Telescopic sliding guides for easy extraction of wine bottles