CVI138LG

Family	Wine Cooler
Installation	Built-in
Built-In Niche	82-87 cm
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Left



Wine cellar compartment features

Number of fixed shelves	2
Number of removable shelves	3
No. of lights	2
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led
Air filter	Activated charcoal filter

Programs/Functions

Control setting	Touch control	**Control lock**	Yes
Controls	Inner, in the cellar compartment	**Lighting forced ON**	In a maximum period
		Fan forced ON	Yes
Display	LED	**Temperature Alarm**	Yes
Functions display	Temperature alarm, Temperature value	**Door open alarm**	Yes
Power on lamp	Yes		

Technical Features

Adjustable temperature zones	2	**Compressor type**	Low vibration compressor
		Refrigerant gas type	R600a
		Refrigerant Quantity (gr)	20 g

Independent cooling systems	2
Number of door glasses	2
Temperature range	5-20 °C
Type of temperature control	Electronic
Anti-UV door glass	Yes
Integrated heating element	Yes
Number of compressors	1
Foam agent	HFO
Metal panel on the back of the fridge	Metal
Adjustable feet	2 Front + 2 Rear
Door opening type	With handle

Performance / Energy Label

Max Capacity (bottles 0,75lt)	38
Annual energy consumption	140 kWh/a
Energy efficiency class	G
Airborne acoustical noise emission class	C
Total volume	114 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	114 l
Climatic class	SN, N, ST
EEI	165 %
Noise level	38 dB(A) re 1 pW

Electrical Connection

Plug	(F;E) Schuko
Electrical connection rating	40 W
Current	0,4 A
Voltage (V)	220-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm



Symbols glossary

The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.

LED display: to show programmes, functions and options selected and the time to the end of the cycle.

LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.

A: Product drying performance, measured from A+++ to D / G depending on the product family

Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.

Built-in niche

Energy efficiency class G

Benefit (TT)

External handle

Handle with sober and elegant aesthetics, for easy door opening

UV-protected door glass

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

LED lights

LED lights ensure perfect multi-level visibility inside the wine cooler

Activated charcoal air filter

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

Touch Display

Touch display for an easy and accurate temperature management inside the refrigerated compartment

Low-vibration compressor

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine

Telescopic guides

Telescopic sliding guides for easy extraction of wine bottles