


# CVI138LG



Family	Adega
Installation	Built-in
Built-In Niche	82-87 cm
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Left
Reversible door	No



## Wine cellar compartment features



Number of fixed shelves	2
Number of removable shelves	3
N° de lâmpadas	2
Shelves material	Wood
Adjustable shelves	No
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led
Air filter	Activated charcoal filter

## Programs/Functions




Control setting	Touch control	Lighting forced ON	In a maximum period
Controls	Inner, in the cellar compartment	Fan forced ON	Yes
Display	LED	Temperature Alarm	Yes
Functions display	Temperature alarm, Temperature value	Door open alarm	Yes
Power on lamp	Yes	Humidity level setting	No
Control lock	Yes		

## Technical Features

Adjustable temperature zones	2	Number of compressors	1
------------------------------	---	-----------------------	---


<b>Independent cooling systems</b>	2	<b>Compressor type</b>	Low vibration compressor
<b>Number of door glasses</b>	2	<b>Refrigerant gas type</b>	R600a
<b>Temperature range</b>	5-20 °C	<b>Refrigerant Quantity (gr)</b>	20 g
<b>Type of temperature control</b>	Electronic	<b>Espuma expansiva de isolamento</b>	HFO
<b>Anti-UV door glass</b>	Yes	<b>Painel de metal na parte de trás da geladeira</b>	Metal
<b>Integrated heating element</b>	Yes	<b>Adjustable feet</b>	2 Front + 2 Rear
<b>Antibacterial Gasket</b>	No	<b>Door opening type</b>	With handle

## Etiqueta de Desempenho / Energia - Reg. 2019









			
<b>Consumo de energia anual</b>	140 kWh/a	<b>Soma dos volumes do(s) compartimento(s) refrigerado(s) e do(s) compartimento(s) não congelado(s)</b>	114 l
<b>Classe de eficiência energética</b>	G	<b>Classe climática</b>	SN, N, ST
<b>Classe de emissão de ruído acústico aerotransportado</b>	C	<b>EEl</b>	165 %
<b>Volume líquido total</b>	114 l	<b>Noise level</b>	38 dB(A) re 1 pW

## Electrical Connection

<b>Plug</b>	(F;E) Schuko	<b>Voltage (V)</b>	220-240 V
<b>Electrical connection rating</b>	40 W	<b>Frequency (Hz)</b>	50 Hz
<b>Current</b>	0,4 A	<b>Comprimento do cabo de alimentação</b>	180 cm



## Symbols glossary

	O sistema de descongelamento automático funciona descongelando automaticamente em intervalos regulares, eliminando a necessidade de descongelar completamente.		R: Desempenho de secagem do produto, medido de A++ a D/G, dependendo da família de produtos
	Classe de eficiência energética G		Display LED: para mostrar os programas, funções e opções selecionadas e o tempo até ao final do ciclo.
	Ventilado: Distribuição forçada de ar frio no compartimento da geladeira, o que permite uma distribuição uniforme da temperatura dentro da geladeira.		Iluminação interior LED: é uma forma mais eficiente em termos energéticos e duradoura de iluminar o interior do aparelho.
	Nicho incorporado		Controles táteis: O controles táteis, fáceis de usar, permitem que o aparelho seja programado com o toque de um botão.

---

## Benefit (TT)

---

### **External handle**

Handle with sober and elegant aesthetics, for easy door opening

### **UV-protected door glass**

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

### **LED lights**

LED lights ensure perfect multi-level visibility inside the wine cooler

### **Activated charcoal air filter**

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

### **Touch Display**

Touch display for an easy and accurate temperature management inside the refrigerated compartment

### **Low-vibration compressor**

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine

### **Telescopic guides**

Telescopic sliding guides for easy extraction of wine bottles