


# CVI138RG



|                       |              |
|-----------------------|--------------|
| <b>Family</b>         | Wine Cooler  |
| <b>Installation</b>   | Built-in     |
| <b>Built-In Niche</b> | 82-87 cm     |
| <b>Defrost</b>        | Automatic    |
| <b>Cooling type</b>   | Fan assisted |
| <b>Hinge type</b>     | Standard     |
| <b>Hinge position</b> | Right        |



## Wine cellar compartment features



|  |                           |
|--|---------------------------|
| <b>Number of fixed shelves</b>                     | 2                         |
| <b>Number of removable shelves</b>                 | 3                         |
| <b>No. of lights</b>                               | 2                         |
| <b>Shelves material</b>                            | Wood                      |
| <b>Removable shelves on telescopic guide rails</b> | Yes                       |
| <b>Type of internal light</b>                      | Led                       |
| <b>Air filter</b>                                  | Activated charcoal filter |

## Programs/Functions




|                          |                                      |                           |                     |
|--------------------------|--------------------------------------|---------------------------|---------------------|
| <b>Control setting</b>   | Touch control                        | <b>Control lock</b>       | Yes                 |
| <b>Controls</b>          | Inner, in the cellar compartment     | <b>Lighting forced ON</b> | In a maximum period |
| <b>Display</b>           | LED                                  | <b>Fan forced ON</b>      | Yes                 |
| <b>Functions display</b> | Temperature alarm, Temperature value | <b>Temperature Alarm</b>  | Yes                 |
| <b>Power on lamp</b>     | Yes                                  | <b>Door open alarm</b>    | Yes                 |

## Technical Features

|                                     |   |                                  |                          |
|-------------------------------------|---|----------------------------------|--------------------------|
| <b>Adjustable temperature zones</b> | 2 | <b>Compressor type</b>           | Low vibration compressor |
|                                     |   | <b>Refrigerant gas type</b>      | R600a                    |
|                                     |   | <b>Refrigerant Quantity (gr)</b> | 20 g                     |


|                                    |            |  |                  |
|------------------------------------|------------|--|------------------|
| <b>Independent cooling systems</b> | 2          | <b>Foam agent</b>                            | HFO              |
| <b>Number of door glasses</b>      | 2          | <b>Metal panel on the back of the fridge</b> | Metal            |
| <b>Temperature range</b>           | 5-20 °C    | <b>Adjustable feet</b>                       | 2 Front + 2 Rear |
| <b>Type of temperature control</b> | Electronic | <b>Door opening type</b>                     | With handle      |
| <b>Anti-UV door glass</b>          | Yes        |  |                  |
| <b>Integrated heating element</b>  | Yes        |  |                  |
| <b>Number of compressors</b>       | 1          |  |                  |

## Performance / Energy Label - Reg. 2019









|  |           |   |                  |
|--|-----------|---|------------------|
|  |           |   |                  |
| <b>Max Capacity (bottles 0,75lt)</b>   | 38        | <b>Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)</b> | 114 l            |
| <b>Annual energy consumption</b>   | 140 kWh/a | <b>Climate class</b>  | SN, N, ST        |
| <b>Energy efficiency class</b>   | G         | <b>EEL</b>  | 165 %            |
| <b>Airborne acoustical noise emission class</b>                                  | C         | <b>Noise level</b>  | 38 dB(A) re 1 pW |
| <b>Total net volume</b>  | 114 l     |   |                  |

## Electrical Connection

|                                     |           |                                  |              |
|-------------------------------------|-----------|----------------------------------|--------------|
| <b>Electrical connection rating</b> | 40 W      | <b>Frequency (Hz)</b>            | 50 Hz        |
| <b>Current</b>                      | 0,4 A     | <b>Power supply cable length</b> | 180 cm       |
| <b>Voltage (V)</b>                  | 220-240 V | <b>Plug</b>                      | (F;E) Schuko |



## Symbols glossary

|  |  |   |   |
|--|--|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.            |  | Energy efficiency class A   |
|  | Energy efficiency class G  |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.                 |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche   |  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.             |