

CVI138RS3







Product Family Wine Cooler Installation Built-in Built-In Niche 82-87 cm Defrost Automatic Cooling type Fan assisted Hinge type Standard Hinge position Right



Wine cooler compartment features



Number of fixed shelves2Number of removable shelves3Shelves materialWoodRemovable shelves on telescopic guide railsYesType of internal lightLED

Air filter Activated charcoal filter

Programs / Functions



Display



Functions display

Control setting Touch control
Controls Internal, in the compartment

LED Temperature
Temperature alarm, Door open ala

Temperature value

2

Power on lamp Yes

Control lock Yes

Lighting forced ON In a maximum period

Fan forced ON Yes
Temperature Alarm Yes
Door open alarm Yes

Technical Features

Adjustable temperature 2

zones

Independent cooling

systems

Number of door glasses 2

Number of compressors 1

Compressor type Refrigerant gas type Low vibration compressor

R600a

SMEG SPA 20/04/2024



5-20 °C Temperature range **Refrigerant Quantity** 20 g

(gr) Type of temperature Electronic control Foam agent **HFO**

Metal panel on the back Metal Anti-UV door glass Yes of the fridge Integrated heating Yes

element Adjustable feet 2 Front + 2 Rear

Performance / Energy Label NEW

G

Annual energy 140 KWh/year Sum of the volumes of 114 l consumption the chill compartment(s)

and the unfrozen **Energy efficiency class** G compartment(s) Airborne acoustical С


Climatic class SN, N, ST noise emission class EEI 165 % Total volume 114 l

Noise level 38 dB(A) re 1pW

Electrical Connection

Plug (F;E) Schuko Voltage (V) 220-240 V Nominal power 40 W Frequency (Hz) 50 Hz

Current 0.4 A Power supply cable 150 cm length 536 80,



SMEG SPA 20/04/2024



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Built-in niche



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



A: Product drying performance, measured from A+++ to D / G depending on the product family



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.

SMEG SPA 20/04/2024