

## CVI320XE



Installation	Built-in
Built-In Niche	45 cm
Reference width	Until 60
Reference height	Until 100
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Right
Reversible door	Yes



## Wine cooler compartment features



Number of fixed shelves	1
Number of removable shelves	2
No. of lights	1
Shelves material	Beech
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led activated with EMOTION system
Air filter	Activated charcoal filter

## Programs / Functions



Control setting	Touch control	Control lock	Yes
Controls	Internal, in the compartment	Lighting forced ON	In a maximum period
Display	LED	Fan forced ON	Yes
Functions display	Temperature alarm, Temperature value	Temperature Alarm	Yes
Power on lamp	Yes	Door open alarm	Yes


## Technical Features



Adjustable temperature zones	1	Number of compressors	1
		Compressor type	Low vibration compressor

<b>Independent cooling systems</b>	1	<b>Refrigerant gas type</b>	R600a
<b>Number of door glasses</b>	2	<b>Refrigerant Quantity (gr)</b>	20 g
<b>Temperature range</b>	5-20 °C	<b>Foam agent</b>	HFO
<b>Type of temperature control</b>	Electronic	<b>Metal panel on the back of the fridge</b>	Metal
<b>Anti-UV door glass</b>	Yes	<b>Door opening type</b>	With E MOTION electronic opening system
<b>Integrated heating element</b>	Yes		

## Performance / Energy Label











			
<b>Max Capacity (bottles 0,75lt)</b>	20	<b>Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)</b>	56 l
<b>Annual energy consumption</b>	100 kWh/year	<b>Climatic class</b>	SN, N, ST
<b>Energy efficiency class</b>	F	<b>EEl</b>	124 %
<b>Airborne acoustical noise emission class</b>	C	<b>Noise level</b>	37 dB(A) re 1 pW
<b>Total volume</b>	56 l		

## Electrical Connection

<b>Nominal power</b>	40 W	<b>Frequency (Hz)</b>	50 Hz
<b>Current</b>	0.4 A	<b>Power supply cable length</b>	180 cm
<b>Voltage (V)</b>	220-240 V	<b>Plug</b>	(F;E) Schuko



## Symbols glossary

-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  Energy efficiency class F
-  E MOTION opening system: the E MOTION electronic system allows to open the appliance semi-automatically by applying pressure on the door surface.
-  Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
-  Built-in niche
-  A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  LED display: to show programmes, functions and options selected and the time to the end of the cycle.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.