

CVI321X3



| | |
|-----------------|--------------|
| Family | Wine Cooler |
| Installation | Built-in |
| Built-In Niche | 45 cm |
| Defrost | Automatic |
| Cooling type | Fan assisted |
| Hinge type | Standard |
| Hinge position | Right |
| Reversible door | Yes |



Wine cellar compartment features



| | |
|---|---------------------------|
| Number of fixed shelves | 1 |
| Number of removable shelves | 2 |
| Shelves material | Wood |
| Removable shelves on telescopic guide rails | Yes |
| Type of internal light | Led |
| Air filter | Activated charcoal filter |

Programs/Functions



| | | | |
|-------------------|--------------------------------------|--------------------|---------------------|
| Control setting | Touch control | Control lock | Yes |
| Controls | Inner, in the cellar compartment | Lighting forced ON | In a maximum period |
| Display | LED | Fan forced ON | Yes |
| Functions display | Temperature alarm, Temperature value | Temperature Alarm | Yes |
| Power on lamp | Yes | Door open alarm | Yes |

Technical Features

| | | | |
|------------------------------|---|-----------------------|--------------------------|
| Adjustable temperature zones | 1 | Number of compressors | 1 |
| Independent cooling systems | 1 | Compressor type | Low vibration compressor |
| Number of door glasses | 2 | Refrigerant gas type | R600a |


| | | | |
|-----------------------------|------------|---------------------------------------|-----------------------|
| Temperature range | 5-20 °C | Refrigerant Quantity (gr) | 20 g |
| Type of temperature control | Electronic | Foam agent | HFO |
| Anti-UV door glass | Yes | Metal panel on the back of the fridge | Metal |
| Integrated heating element | Yes | Door opening type | With push pull system |

Performance / Energy Label NEW 2019










| | | | |
|--|-----------|--|-----------------|
| | | | |
| Max Capacity (bottles 0,75lt) | 21 | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 56 l |
| Annual energy consumption | 100 kWh/a | Climate class | SN, N, ST |
| Energy efficiency class | F | EEL | 124 % |
| Airborne acoustical noise emission class | C | Noise level | 36 dB(A) re 1pW |
| Total net volume | 56 l | | |

Electrical Connection

| | | | |
|------------------------------|--------------|---------------------------|-----------|
| Plug | (F;E) Schuko | Voltage (V) | 220-240 V |
| Electrical connection rating | 40 W | Frequency (Hz) | 50 Hz |
| Current | 0,4 A | Power supply cable length | 180 cm |



Symbols glossary (TT)

-  A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  LED display: to show programmes, functions and options selected and the time to the end of the cycle.
-  Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
-  Built-in niche
-  Energy efficiency class F
-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.