

# CVI629NR3





Product Family
Installation
Built-in
Built-In Niche
Defrost
Cooling type
Hinge type
Wine Cooler
Built-in
Built-in
Automatic
Fan assisted
Variable hinge

Hinge position Right Reversible door Yes



### Wine cooler compartment features



Number of fixed shelves1Number of removable shelves2No. of lights2Shelves materialWoodRemovable shelves on telescopic guide railsYesType of internal lightLED

Air filter Activated charcoal filter

## **Programs / Functions**





Control setting Touch control
Controls Internal, in the

compartment

Display LED

Functions display Temperature alarm,

Temperature value

Power on lamp Yes

Control lock Yes

**Lighting forced ON** In a maximum period

Fan forced ON Yes
Temperature Alarm Yes
Door open alarm Yes

#### **Technical Features**

Adjustable temperature 2

zones

Number of compressors

Compressor type

Low vibration compressor

Refrigerant gas type R600a

110000

SMEG SPA 28/11/2025



Independent cooling

systems

Number of door glasses Temperature range

5-20 °C Electronic

Yes

Yes

29

1

Type of temperature control

Anti-UV door glass

Integrated heating

element

Refrigerant Quantity

(gr)

Foam agent HFO Metal panel on the back Metal

of the fridge

Door opening type

With push pull system

20 g

### Performance / Energy Label



Max Capacity (bottles

0,75lt)

Annual energy

140 kWh/year

consumption

Energy efficiency class G Airborne acoustical C

noise emission class

Total volume 791

Sum of the volumes of 79 l the chill compartment(s) and the unfrozen compartment(s)

Climatic class SN, N, ST EEI 170 %

Noise level 38 dB(A) re 1 pW


#### **Electrical Connection**

Nominal power 40 W Current 0.4 A Voltage (V) 220-240 V Frequency (Hz)
Power supply cable

50 Hz 180 cm

length

Plug (F;E) Schuko




SMEG SPA 28/11/2025



### Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



A: Product drying performance, measured from A+++ to D / G depending on the product family



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

SMEG SPA 28/11/2025