


# CVI629NR3



|                 |                |
|-----------------|----------------|
| Family          | Wine Cooler    |
| Installation    | Built-in       |
| Built-In Niche  | 60 cm          |
| Defrost         | Automatic      |
| Cooling type    | Fan assisted   |
| Hinge type      | Variable hinge |
| Hinge position  | Right          |
| Reversible door | Yes            |



smeg

## Wine cellar compartment features



|                                             |                           |
|---------------------------------------------|---------------------------|
| Number of fixed shelves                     | 1                         |
| Number of removable shelves                 | 2                         |
| No. of lights                               | 2                         |
| Shelves material                            | Wood                      |
| Removable shelves on telescopic guide rails | Yes                       |
| Type of internal light                      | Led                       |
| Air filter                                  | Activated charcoal filter |

## Programs/Functions



|                   |                                      |                    |                     |
|-------------------|--------------------------------------|--------------------|---------------------|
| Control setting   | Touch control                        | Control lock       | Yes                 |
| Controls          | Inner, in the cellar compartment     | Lighting forced ON | In a maximum period |
| Display           | LED                                  | Fan forced ON      | Yes                 |
| Functions display | Temperature alarm, Temperature value | Temperature Alarm  | Yes                 |
| Power on lamp     | Yes                                  | Door open alarm    | Yes                 |

## Technical Features

Adjustable temperature zones 2

Number of compressors 1  
 Compressor type Low vibration compressor  
 Refrigerant gas type R600a


|                             |            |                                       |                       |
|-----------------------------|------------|---------------------------------------|-----------------------|
| Independent cooling systems | 1          | Refrigerant Quantity (gr)             | 20 g                  |
| Number of door glasses      | 2          | Foam agent                            | HFO                   |
| Temperature range           | 5-20 °C    | Metal panel on the back of the fridge | Metal                 |
| Type of temperature control | Electronic | Door opening type                     | With push pull system |
| Anti-UV door glass          | Yes        |                                       |                       |
| Integrated heating element  | Yes        |                                       |                       |

## Performance / Energy Label - Reg. 2019

|                                                                                  |           |                                                                                |                  |
|----------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------|------------------|
|  |           |                                                                                |                  |
| Max Capacity (bottles 0,75lt)                                                    | 29        | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 79 l             |
| Annual energy consumption                                                        | 140 kWh/a | Climate class                                                                  | SN, N, ST        |
| Energy efficiency class                                                          | G         | EEI                                                                            | 170 %            |
| Airborne acoustical noise emission class                                         | C         | Noise level                                                                    | 38 dB(A) re 1 pW |
| Total net volume                                                                 | 79 l      |                                                                                |                  |

## Electrical Connection

|                              |           |                           |              |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 40 W      | Frequency (Hz)            | 50 Hz        |
| Current                      | 0,4 A     | Power supply cable length | 180 cm       |
| Voltage (V)                  | 220-240 V | Plug                      | (F;E) Schuko |



## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



Energy efficiency class A



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.