CVI629TE



Product Family	Wine Cooler
Installation	Built-in
Built-In Niche	60 cm
Reference width	Until 60
Reference height	Until 100
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Variable hinge
Hinge position	Right
Reversible door	Yes

Wine cooler compartment features

Number of fixed shelves	1
Number of removable shelves	2
No. of lights	2
Shelves material	Beech
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led activated with EMOTION system
Air filter	Activated charcoal filter

Programs / Functions

Control setting	Touch control	**Control lock**	Yes
Controls	Internal, in the compartment	**Lighting forced ON**	In a maximum period
Display	LED	**Fan forced ON**	Yes
Functions display	Temperature alarm, Temperature value	**Temperature Alarm**	Yes
Power on lamp	Yes	**Door open alarm**	Yes

Technical Features

Adjustable temperature zones	2	**Number of compressors**	1
		Compressor type	Low vibration compressor


Independent cooling systems	1
Number of door glasses	2
Temperature range	5-20 °C
Type of temperature control	Electronic
Anti-UV door glass	Yes
Integrated heating element	Yes
Refrigerant gas type	R600a
Refrigerant Quantity (gr)	20 g
Foam agent	Cyclopentane
Metal panel on the back of the fridge	Metal
Door opening type	With EMOTION electronic opening system

Performance / Energy Label

Max Capacity (bottles 0,75lt)	29
Annual energy consumption	140 kWh/year
Energy efficiency class	G
Airborne acoustical noise emission class	C
Total volume	79 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	79 l
Climatic class	SN, N, ST
EEI	170 %
Noise level	38 dB(A) re 1 pW

Electrical Connection

Nominal power	40 W
Current	0.4 A
Voltage (V)	220-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm
Plug	(F;E) Schuko



Compatible Accessories



KIT663C



KIT663X

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



A: Product drying performance, measured from A+++ to D / G depending on the product family



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



E MOTION opening system: the E MOTION electronic system allows to open the appliance semi-automatically by applying pressure on the door surface.