# CVI638LN3

| | |
|---|---|
| **Family** | Wine Coolerv |
| **Installation** | Built-in |
| **Built-In Niche** | 82-87 cm |
| **Defrost** | Automatic |
| **Cooling type** | Fan assisted |
| **Hinge type** | Standard |
| **Hinge position** | Left |



## Wine cellar compartment features

| | |
|---|---|
| **Number of fixed shelves** | 2 |
| **Number of removable shelves** | 3 |
| **Shelves material** | Wood |
| **Removable shelves on telescopic guide rails** | Yes |
| **Type of internal light** | Led |
| **Air filter** | Activated charcoal filter |

## Programs/Functions

| | | | |
|---|---|---|---|
| **Control setting** | Touch control | **Control lock** | Yes |
| **Controls** | Inner, in the cellar compartment | **Lighting forced ON** | In a maximum period |
| **Display** | LED | **Fan forced ON** | Yes |
| **Functions display** | Temperature alarm, Temperature value | **Temperature Alarm** | Yes |
| **Power on lamp** | Yes | **Door open alarm** | Yes |

## Technical Features

| | | | |
|---|---|---|---|
| **Adjustable temperature zones** | 2 | **Compressor type** | Low vibration compressor |
| **Independent cooling systems** | 2 | **Refrigerant gas type** | R600a |
| **Number of door glasses** | 2 | **Refrigerant Quantity (gr)** | 20 g |


| | | | |
|---|---|---|---|
| **Temperature range** | 5-20 °C | **Foam agent** | HFO |
| **Type of temperature control** | Electronic | **Metal panel on the back of the fridge** | Metal |
| **Anti-UV door glass** | Yes | **Adjustable feet** | 2 Front + 2 Rear |
| **Integrated heating element** | Yes | **Door opening type** | With handle |
| **Number of compressors** | 1 | | |

## Performance / Energy Label - Reg. 2019

| | | | |
|---|---|---|---|
| **Max Capacity (bottles 0,75lt)** | 38 | **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 114 l |
| **Annual energy consumption** | 140 kWh/a | **Climate class** | SN, N, ST |
| **Energy efficiency class** | G | **EEI** | 165 % |
| **Airborne acoustical noise emission class** | C | **Noise level** | 38 dB(A) re 1 pW |
| **Total net volume** | 114 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 40 W | **Frequency (Hz)** | 50 Hz |
| **Current** | 0.4 A | **Power supply cable length** | 180 cm |
| **Voltage (V)** | 220-240 V | **Plug** | (F;E) Schuko |



# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.






LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.




Built-in niche



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.




Energy efficiency class G