

# CVIA118RS2



|                |              |
|----------------|--------------|
| Family         | Wine Cooler  |
| Installation   | Built-in     |
| Built-In Niche | 45 cm        |
| Defrost        | Automatic    |
| Cooling type   | Fan assisted |
| Hinge type     | Standard     |
| Hinge position | Right        |



## Wine cellar compartment features



|   |                           |
|---|---------------------------|
| Number of fixed shelves                     | 1                         |
| Number of removable shelves                 | 2                         |
| Shelves material                            | Wood                      |
| Removable shelves on telescopic guide rails | Yes                       |
| Type of internal light                      | Led                       |
| Air filter                                  | Activated charcoal filter |

## Programs/Functions



|                   |   |                    |                     |
|-------------------|---|--------------------|---------------------|
| Control setting   | Touch control                           | Control lock       | Yes                 |
| Controls          | External, in the door                   | Lighting forced ON | In a maximum period |
| Display           | LED                                     | Fan forced ON      | Yes                 |
| Functions display | Temperature alarm,<br>Temperature value | Temperature Alarm  | Yes                 |
| Power on lamp     | Yes                                     | Door open alarm    | Yes                 |

## Technical Features

|                              |   |                           |                          |
|------------------------------|---|---------------------------|--------------------------|
| Adjustable temperature zones | 1 | Number of compressors     | 1                        |
| Independent cooling systems  | 1 | Compressor type           | Low vibration compressor |
| Number of door glasses       | 2 | Refrigerant gas type      | R600a                    |
|                              |   | Refrigerant Quantity (gr) | 18 g                     |

---

|                             |            |                                       |                       |
|-----------------------------|------------|---------------------------------------|-----------------------|
| Temperature range           | 5-20 °C    | Foam agent                            | Cyclopentane          |
| Type of temperature control | Electronic | Metal panel on the back of the fridge | Metal                 |
| Anti-UV door glass          | Yes        | Door opening type                     | With push pull system |
| Integrated heating element  | Yes        |                                       |                       |

## Performance / Energy Label

---








|                               |              |             |                  |
|-------------------------------|--------------|-------------|------------------|
| Max Capacity (bottles 0,75lt) | 18           | Noise level | 38 dB(A) re 1 pW |
| Climatic class                | SN, N, ST, T |             |                  |

## Electrical Connection

---

|                              |           |                           |               |
|------------------------------|-----------|---------------------------|---------------|
| Electrical connection rating | 40 W      | Frequency (Hz)            | 50 Hz         |
| Current                      | 0.4 A     | Power supply cable length | 150 cm        |
| Voltage (V)                  | 220-240 V | Plug                      | (I) Australia |

## Symbols glossary

- |  |   |   |  |
|--|---|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |
|  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.                           |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.     |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.           |  | Built-in niche   |
|  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.                       |   |  |