

# CVIU321X1



<b>Installation</b>	Built-in
<b>Built-In Niche</b>	45 cm
<b>Defrost</b>	Automatic
<b>Cooling type</b>	Fan assisted
<b>Hinge type</b>	Standard
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes



## Wine cellar compartment features



<b>Number of removable shelves</b>	2
<b>Shelves material</b>	Wood
<b>Removable shelves on telescopic guide rails</b>	Yes
<b>Type of internal light</b>	Led
<b>Air filter</b>	Activated charcoal filter

## Programs/Functions



<b>Control setting</b>	Touch control	<b>Control lock</b>	Yes
<b>Controls</b>	Inner, in the cellar compartment	<b>Lighting forced ON</b>	In a maximum period
<b>Display</b>	LED	<b>Fan forced ON</b>	Yes
<b>Functions display</b>	Temperature alarm, Temperature value	<b>Temperature Alarm</b>	Yes
<b>Power on lamp</b>	Yes	<b>Door open alarm</b>	Yes

## Technical Features

<b>Adjustable temperature zones</b>	1	<b>Number of compressors</b>	1
<b>Independent cooling systems</b>	1	<b>Compressor type</b>	Low vibration compressor
<b>Number of door glasses</b>	2	<b>Refrigerant gas type</b>	R600a
<b>Temperature range</b>	5-20 °C	<b>Refrigerant Quantity (gr)</b>	0.7 oz
		<b>Foam agent</b>	HFO


Type of temperature control	Electronic	Metal panel on the back of the fridge	Metal
Anti-UV door glass	Yes	Door opening type	With push pull system
Integrated heating element	Yes		

## Performance / Energy Label - Reg. 2019









Annual energy consumption	100 KWh/year	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	14.8 gal
Airborne acoustical noise emission class	C	Climate class	SN, N, ST
Total net volume	14.8 gal	EI	124 %
Sum of the volumes of the frozen compartment(s)	0.0 gal		

## Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	115 V
Electrical connection rating	40 W	Frequency (Hz)	50/60 Hz
Current	1,95 A	Power supply cable length	70 7/8 "



## Symbols glossary

	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Built-in niche		Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.

## Benefit (TT)

---

### **Reversible door**

Reversible door for easy and versatile installation in any kitchen

### **Push-pull opening system**

Push-pull opening system for easy opening and closing when needed, with the simple pressure of the surface at the end of the door

### **UV-protected door glass**

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

### **LED lights**

LED lights ensure perfect multi-level visibility inside the wine cooler

### **Activated charcoal air filter**

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

### **Touch Display**

Touch display for an easy and accurate temperature management inside the refrigerated compartment

### **Low-vibration compressor**

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine

### **Telescopic guides**

Telescopic sliding guides for easy extraction of wine bottles