CVIU338LX1



Installation	Built-in
Built-In Niche	82-87 cm
Defrost	Automatic
Cooling type	Fan-assisted
Hinge type	Standard
Hinge position	Left

Wine compartment features

Number of fixed shelves	2
Number of removable shelves	3
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	LED
Air filter	Activated charcoal filter

Functions

Control setting	Touch controls	**Child lock**	Yes
Controls	Inside the cooler	**Forced light on**	Time-limited
Display type	LED	**Continuous fan mode**	Yes
Display functions	Temperature Alarm, Temperature indication	**Temperature Alarm**	Yes
		Door open alarm	Yes
Power-on indicator	Yes		

Technical Features

Adjustable temperature zones	2	**Compressor type**	Reduced vibration
Independent cooling systems	2	**Refrigerant gas type**	R600a
Number of door glasses	2	**Refrigerant quantity**	0.7 oz
		Foam agent	HFO
		Metal back panel	Metal


Temperature range	41°-68°F	**Adjustable feet**	2 Front + 2 Rear
Temperature setting type	Electronic	**Door opening type**	With handle
Anti-UV door glass	Yes		
Integrated heating element	Yes		
Number of compressors	1		

Performance / Energy Label

Max Capacity (bottles 0,75lt)	38	**Sum of the volumes of the frozen compartment(s)**	0.0 gal
Annual energy consumption	130 kWh/year	**Refrigerator volume**	30.6 gal
Airborne acoustical noise emission class	C	**Climatic class**	SN, N, ST
Total net volume	30.6 gal	**EEI**	153 %

Electrical Connection

Electrical connection rating	40 W	**Frequency (Hz)**	50/60 Hz
Current	0.4 A	**Power cord length**	70 7/8 "
Voltage (V)	120 V	**Plug**	(B) NEMA 5-15P



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Built-in niche