

# CVIU338RX1



|                       |              |
|-----------------------|--------------|
| <b>Installation</b>   | Built-in     |
| <b>Built-In Niche</b> | 82-87 cm     |
| <b>Defrost</b>        | Automatic    |
| <b>Cooling type</b>   | Fan-assisted |
| <b>Hinge type</b>     | Standard     |
| <b>Hinge position</b> | Right-hand   |



## Wine compartment features



|  |                           |
|--|---------------------------|
| <b>Number of fixed shelves</b>                     | 2                         |
| <b>Number of removable shelves</b>                 | 3                         |
| <b>Shelves material</b>                            | Wood                      |
| <b>Removable shelves on telescopic guide rails</b> | Yes                       |
| <b>Type of internal light</b>                      | LED                       |
| <b>Air filter</b>                                  | Activated charcoal filter |

## Functions



|                           |  |                            |              |
|---------------------------|--|----------------------------|--------------|
| <b>Control setting</b>    | Touch controls                               | <b>Child lock</b>          | Yes          |
| <b>Controls</b>           | Inside the cooler                            | <b>Forced light on</b>     | Time-limited |
| <b>Display type</b>       | LED  | <b>Continuous fan mode</b> | Yes          |
| <b>Display functions</b>  | Temperature Alarm,<br>Temperature indication | <b>Temperature Alarm</b>   | Yes          |
| <b>Power-on indicator</b> | Yes  | <b>Door open alarm</b>     | Yes          |

## Technical Features

|                                     |   |                             |                   |
|-------------------------------------|---|-----------------------------|-------------------|
| <b>Adjustable temperature zones</b> | 2 | <b>Compressor type</b>      | Reduced vibration |
| <b>Independent cooling systems</b>  | 2 | <b>Refrigerant gas type</b> | R600a             |
| <b>Number of door glasses</b>       | 2 | <b>Refrigerant quantity</b> | 0.7 oz            |
|                                     |   | <b>Foam agent</b>           | HFO               |
|                                     |   | <b>Metal back panel</b>     | Metal             |


|                            |            |                   |                  |
|----------------------------|------------|-------------------|------------------|
| Temperature range          | 41°-68°F   | Adjustable feet   | 2 Front + 2 Rear |
| Temperature setting type   | Electronic | Door opening type | With handle      |
| Anti-UV door glass         | Yes        |                   |                  |
| Integrated heating element | Yes        |                   |                  |
| Number of compressors      | 1          |                   |                  |

## Performance / Energy Label

|  |              |  |           |
|--|--------------|--|-----------|
| Max Capacity (bottles 0.75lt)            | 38           | Sum of the volumes of the frozen compartment(s)                                | 0.0 gal   |
| Annual energy consumption                | 130 kWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 30.6 gal  |
| Airborne acoustical noise emission class | C            | Climatic class   | SN, N, ST |
| Total volume                             | 30.6 gal     | EEI  | 153 %     |

## Electrical Connection

|                              |       |                   |                |
|------------------------------|-------|-------------------|----------------|
| Electrical connection rating | 40 W  | Frequency (Hz)    | 50/60 Hz       |
| Current                      | 0,4 A | Power cord length | 70 7/8 "       |
| Voltage (V)                  | 115 V | Plug              | (B) NEMA 5-15P |



---

## Alternative products

---



**CVIU138RG1**

Color: Neptune Grey

## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.