

CX103GMBL

| | |
|--|-------------------|
| Cooker size | 100x60 cm |
| N. of cavities with energy label | 2 |
| Cavity heat source | ELECTRICITY |
| Hob type | Gas |
| Type of main oven | Thermo-ventilated |
| Type of second oven | Thermo-ventilated |
| Cleaning system main oven | Ever Clean enamel |
| EAN code | 8017709336622 |
| Energy efficiency class | A |
| Energy efficiency class, second cavity | B |



Aesthetics



| | | | |
|--------------------------------|-----------------|-----------------------|-------------------------|
| Design | Standard | Type of control knobs | Smeg Classic |
| Command panel finish | Enamelled metal | Controls colour | Stainless steel |
| Aesthetic | Classica | No. of controls | 8 |
| Logo | Assembled | Serigraphy colour | Silver |
| Colour | Black | Display name | DigiScreen |
| Logo position | Command panel | Door | With frame |
| Finishing | Glossy black | Glass type | Black |
| Series | Concerto | Handle | Smeg Classic |
| Hob colour | Black enamel | Handle Colour | Brushed stainless steel |
| Type of pan stands | Cast Iron | Feet color | none |
| Type of control setting hob | Control knobs | Plinth | Black |

Programs / Functions main oven

| | |
|-------------------------------|---|
| No. of cooking functions | 4 |
| Traditional cooking functions | |



Programs / Functions auxiliary oven

Cooking functions cavity 2
Traditional cooking functions, cavity 2

 Circulaire

1

Programs / Functions third oven

No. of functions third oven

1

Full grill



Hob technical features

UR

Total no. of cook zones 5

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front centre - Gas - AUX - 1.00 kW

Rear right - Gas - Rapid - 2.90 kW

Front right - Gas - Semi Rapid - 1.80 kW

Type of gas burners Standard

Gas safety valves

Yes

Automatic electronic ignition

Burner caps

Matt black enamelled

Main Oven Technical Features



| | | | |
|---------------------------------|-------------------|---|--------------------|
| No. of lights | 1 | Removable door | Yes |
| Fan number | 1 | Full glass inner door | Yes |
| Net volume of the cavity | 61 l | Removable inner door | Yes |
| Gross volume, 1st cavity | 70 l | Total no. of door glasses | 3 |
| Cavity material | Ever Clean enamel | No. of thermo-reflective door glasses | 1 |
| No. of shelves | 4 | Safety Thermostat | Yes |
| Type of shelves | Metal racks | Cooling system | Tangential |
| Light type | Halogen | Usable cavity space dimensions (HxWxD) | 316x460x412 mm |
| Light Power | 40 W | Temperature control | Electro-mechanical |
| Cooking time setting | Start and Stop | Circular heating element - Power | 2000 W |
| Door opening | Side opening | | |

Options Main Oven

| | | | |
|--------------------------------------|-----|----------------------------|--------|
| Timer | Yes | Minimum Temperature | 50 °C |
| End of cooking acoustic alarm | Yes | Maximum temperature | 245 °C |

Second Oven Technical Features

| | | | | | |
|--|---|---|---|---|---|
|  |  |  |  |  |  |
| Fan number | 2 | Removable door | Yes | | |
| Net volume of the second cavity | 84 l | Full glass inner door | Yes | | |
| Gross volume, 2nd cavity | 94 l | No. total door glasses | 2 | | |
| Cavity material | Ever Clean enamel | No. thermo-reflective door glasses | 1 | | |
| No. of shelves | 9 | Safety Thermostat | Yes | | |
| Type of shelves | Metal racks | Cooling system | Tangential | | |
| No. of lights | 1 | Usable cavity space dimensions (HxWxD) | 605x275x370 mm | | |
| Light type | Halogen | Temperature control | Electro-mechanical | | |
| Light Power | 40 W | Circular heating element - Power | 2500 W | | |
| Door opening | Side opening | | | | |

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Third Oven Technical Features

| | | | | | |
|--|---|---|---|---|---|
|  |  |  |  |  |  |
| Net volume, 3rd cavity | 35 l | Removable inner door | Yes | | |
| Gross volume, 3rd cavity | 41 l | No. total door glasses | 3 | | |
| Cavity material | Ever Clean enamel | No. of thermo-reflective door glasses | 1 | | |
| No. of shelves | 2 | Safety Thermostat | Yes | | |
| Type of shelves | Metal racks | Cooling system | Tangential | | |
| No. of lights | 1 | Usable cavity space dimensions (HxWxD) | 169x440x443 mm | | |
| Light type | Halogen | Temperature control | Electro-mechanical | | |
| Light Power | 40 W | Large grill - Power | 2700 W | | |
| Door opening | Flap down | Grill type | Electric | | |
| Removable door | Yes | Tilting grill | Yes | | |
| Full glass inner door | Yes | | | | |

Options Third Oven

Minimum Temperature 50 °C Maximum temperature 260 °C

Accessories included for Main Oven & Hob

| | | |
|-------------------------------------|-----------------------|---|
| Rack with back and side stop | 40mm deep tray | 1 |
|-------------------------------------|-----------------------|---|

Accessories included for Secondary Oven


Oven grid with back stop 3

Accessories included for Third Oven

Rack with back and side stop 1 40mm deep tray 1

Electrical Connection

| | | | |
|------------------------------|-------------------------|----------------------------------|------------------------|
| Electrical connection rating | 8600 W | Additional connection modalities | Double and Three Phase |
| Current | 38 A | Frequency | 50/60 Hz |
| Voltage | 220-240 V | Terminal block | 5 poles |
| Voltage 2 (V) | 380-415 V | Plug | Not present |
| Electric cable | Installed, Single phase | | |



Compatible Accessories

AIRFRY



Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



GRM

Coffee machine support



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITH93

Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)



SFLK1

Child lock



WOKGHU

Cast iron WOK Support

AIRFRY2



Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.




KIT90N9

Splashback black , 90 cm, suitable for BU & BM cookers



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

Symbols glossary

| | | | |
|--|--|---|---|
|  | Heavy duty cast iron pan stands: for maximum stability and strength. |  | Energy efficiency class A |
|  | Installation in column: Installation in column. |  | Knobs control |
|  | Air cooling system: to ensure a safe surface temperatures. |  | 4.3 inch display with LED technology, usability with knobs + 3 touch keys |
|  | Double glazed doors: Number of glazed doors. |  | Triple glazed doors: Number of glazed doors. |
|  | B: Product energy rating, measured from A+++ to D / G depending on the product family. |  | Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking. |
|  | Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors. |  | Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes. |
|  | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. |  | Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities. |
|  | Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat. |  | Light |
|  | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |  | The inner door glass: can be removed with a few quick movements for cleaning. |
|  | Side lights: Two opposing side lights increase visibility inside the oven. |  | The oven cavity has 2 different cooking levels. |
|  | The oven cavity has 4 different cooking levels. |  | The oven cavity has 9 different cooking levels. |



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.

Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removable inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat