

CX61GM

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven EAN code Energy efficiency class 60x60 cm 1 ELECTRICITY Gas Fan assisted 8017709333287 A



Aesthetics

*

0			
Aesthetic	Classica	Type of control setting	Control knobs
Series	Concerto	hob	
Design	Standard	Type of control knobs	Smeg Classic
Colour	Stainless steel	Controls colour	Stainless steel
Finishing	Satin	No. of controls	7
Command panel finish	Stainless steel	Serigraphy colour	Black
Logo	Embossed	Door	Full glass
Logo position	Facia below the oven	Glass type	Black
Lid	Grey glass with two strips	Handle	Smeg Classic
Hob colour	Stainless steel	Handle Colour	Brushed stainless steel
Type of pan stands	Matt black enamelled flat	Feet color	Black

Programs / Functions main oven



Hob technical features



Total no. of cook zones 4

Front left - Gas - Rapid - 3.00 kW Rear left - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Semi Rapid - 1.80 kW Front right - Gas - AUX - 1.00 kW Type of gas burners Standard Automatic electronic Yes ignition

Gas safety valves Burner caps

Yes Matt black enamelled

Main Oven Technical Features

701 5			
No. of lights	1	Full glass inner door	Yes
Fan number	1	Removable inner door	Yes
Net volume of the cavity	701	Total no. of door glasses	3
Gross volume, 1st cavity	791	No.of thermo-reflective	1
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	5	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
Light type	Halogen	Usable cavity space	360X460X425 mm
Light Power	40 W	dimensions (HxWxD)	
Cooking time setting	Contaminuti + fine cottura	Temperature control	Electro-mechanical
Door opening	Flap down	Lower heating element	1200 W
Removable door	Yes	power	
		Upper heating element - Power	1000 W
		Grill elememt	1700 W

Options Main Oven

End of cooking acoustic Yes alarm **Minimum Temperature** 50 °C Maximum temperature

260 °C

Electric

Accessories included for Main Oven & Hob

Moka stand	1	40mm deep tray	1
Rack with back and side	1		
stop			

Grill type


Electrical Connection

Plug Electrical connection	Not present 2900 W	Power supply cable length	115 cm
rating		Frequency	50/60 Hz
Current	13 A	Terminal block	3 poles



```
Voltage
```

```
220-240 V
```





Compatible Accessories



AL60

BN620-1



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

Upstand suitable for 60cm Concert

cookers with gas hob MF oven



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid

GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITPAX

Heigh extension feet, stainless steel, (950mm) suitable for Master, Sinfonia and Portofino 90cm cookers (914-968mm); Heigh extension feet (900mm), st/steel, suitable for Concerto cookers with 850mm height (880-935mm)

PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



BG6090-1

Cast iron grill plate suitable for Concerto cookers and BM93-BU93

BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in squces. Also ideal for experimenting with lighter and crunchy side dishes

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITP60X9

Splashback, stainless steel, suitable for 60X60cm Concerto cookers with pyro and MF oven

KITPD

Heigh extension black feet (950 mm), black, suitable for Master, Sinfonia and Portofino 90cm (914-968mm); Heigh extension black feet (900 mm), black, suitable for Concerto cookers with 850mm height (880-935mm)

SFLK1

Child lock


STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37.5 cm.





Symbols glossary



space in the oven cavity in litres.





Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat