

CX68CM8

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

60x60 cm

1

Electric Ceramic

Thermo-ventilated

Vapor Clean

8017709150006

Α



Aesthetics

Design

Command panel finish Stainless steel

Standard

Classic

Yes

Embossed

Stainless steel

Aesthetics

Logo

Colour

Logo position

Facia below the oven Brushed

Finishing

Upstand Series Concert

Hob colour Stainless steel Control knobs

No. of controls

Controls colour

Serigraphy colour

Display electronic 5 buttons

Door

Glass type

Handle

Handle Colour

Feet

Black

Full glass

Stopsol

Brushed stainless steel

Smeg Classic

Smeg Classic

Stainless steel

Silver

Programs / Functions

No. of cooking functions

Traditional cooking functions

8



Static

Circulaire

Turbo (circulaire + bottom + upper +

fan)

ECO

Small grill

Large grill

Fan grill (large)

Fan assisted base



Cleaning functions



Vapor Clean

Hob technical features



Total no. of cook zones 4

Front left - Ceramic - double - 0.75 - 2.20 kW - Ø 12.0 - Ø 21.0 cm

Rear left - Ceramic - single - 1.20 kW - Ø 14.0 cm

Rear right - Ceramic - extendable - 2.20 kW - 26.5x17.0 cm

Front right - Ceramic - single - 1.80 kW - Ø 18.0 cm

Selected zone indicator Yes Residual heat indicator Yes

Main Oven Technical Features



















No. of lights

Net volume of the cavity 70 litres

Gross volume, 1st cavity 791

Cavity material

Easy clean enamel

Shelf positions

Metal racks Type of shelves Halogen Light type Light power 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

360X460X425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes Minimum Temperature 40 °C End of cooking acoustic Yes Maximum temperature 260°C

alarm

and side stop

Accessories included for Main Oven & Hob

Chrome shelf with back 1 40mm deep tray 1

Electrical Connection



 Max Power Draw
 10400 W


 Current
 29 A

 Voltage
 220-240 V

 Voltage 2 (V)
 380-415 V

Type of electric cable
Additional connection
modalities
Frequency
Terminal block

Yes, Single phase Yes, Double and Three Phase 50/60 Hz 5 poles





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep

AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1

Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



KITH95

Height extension kit (950 mm), stainless steel



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished


KITP60X9

Splashback, 90 cm, stainless steel, suitable for pyrolytic Concert cookers



KITPDQ

Height reduction feet (850 mm), stainless steel, for cookers



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



Induction and ceramic hobs and teppanyaki scraper



SFLK1

Child lock



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary

Α	K
PA	Ď

A: Product drying performance, measured from A+++ to D / G depending on the product family



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.





The oven cavity has 5 different cooking levels.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.