

CX93GMBL

Categorie fornuis	90x60 cm
N. of cavities with energy label	2
Cavity heat source	Elektriciteit
Type kookplaat	Gas
Type primaire oven	Thermogeventileerd
Type secundaire oven	Thermogeventileerd
EAN-code	8017709334536
Energie-efficiëntieklasse	A
Energie-efficiëntieklasse, tweede oven	B



Design



Design	Standaard	Bedieningsknoppen	Smeg Classici
Afwerking bedieningspaneel	Gekleurd plaatstaal	Kleur bedieningsknoppen	Inox
Design	Classici	Aantal bedieningsknoppen	8
Logo	Geëtst	Kleur serigrafie	Zilver
Kleur	Zwart	Display	DigiScreen
Positie logo	Bedieningspaneel	Deur	Geheel glas
Afwerking	Glanzend zwart	Type glas	Zwart
Series	Concerto	Handgreep	Smeg Classici
Kleur kookplaat	Black enamel	Kleur handgreep	Glanzend inox
Type pottendragers	Gietijzeren pottendragers	Pootjes	Zwart
Bediening	Bedieningsknoppen		

Programma's / Functies

Aantal kookfuncties	1
Traditionele bereidingsfuncties	



Circulatie (ventilator + circulaire)

Programma's / Functies secundaire oven

Aantal kookfuncties 1

Programma's / Functies derde oven

Aantal functies derde oven 1
Grote vlakgrill 

Technische specificaties kookplaat

			
Totaal aantal kookzones 5			
Linksvoor - Gas - RP - 2.90 kW			
Linksachter - Gas - SRD - 1.80 kW			
Midden - Gas - URP - 4.00 kW			
Rechtsachter - Gas - SRD - 1.80 kW			
Rechtsvoor - Gas - AUX - 1.00 kW			
Type gasbranders	Standaard	Thermobeveiliging	Ja
Automatische vonkontsteking	Ja	Branderdeksels	Mat zwart geëmailleerd

Technische specificaties primaire oven

       			
Aantal lampen	1	Uitneembare ovendeur	Ja
Aantal ventilatoren	1	Volledig glazen binnendeur	Ja
Netto volume 1e oven	61 l	Uitneembaar glas binnendeur	Ja
Bruto volume, oven 1	70 l	Aantal ruiten ovendeur	3
Materiaal ovenruimte	Ever Clean emaille	Aantal thermo-reflecterende ruiten	1
Aantal kookniveaus	4	Veiligheidsthermostaat	Ja
Type ovenrekken	Metalen zijsteunen	Koelsysteem	Mantelkoeling
Type licht	Halogeen	Afmetingen bruikbare interne ovenruimte (hxbxd)	316x460x412 mm
Vermogen lamp	40 W	Temperatuurregeling	Elektro-mechanisch
Opties bereidingstijdprogrammering	Begin en eind	Circulatie - vermogen	2000 W
Opening deur	Side opening		

Opties primaire oven

Timer	Ja	Minimum temperatuur	50 °C
Geluidssignaal einde kooktijd	Ja	Maximum temperatuur	245 °C

Technische specificaties secundaire oven



Aantal ventilatoren	1
Netto volume 2e oven	62 l
Bruto volume, oven 2	69 l
Materiaal ovenruimte	Ever Clean emaille
Aantal kookniveaus	9
Type ovenrekken	Metalen zijsteunen
Opening deur	Side opening
Uitneembare ovendeur	Ja

Volledig glazen binnendeur	Ja
Aantal ruiten ovendeur	2
Aantal thermo-reflecterende ruiten	1
Veiligheidsthermostaat	Ja
Koelsysteem	Mantelkoeling
Afmetingen bruikbare interne ovenruimte (hxbxd)	605x275x370 mm
Temperatuurregeling	Elektro-mechanisch
Circulatie - vermogen	2500 W

Opties secundaire oven

Minimum temperatuur	50 °C	Maximum temperatuur	245 °C
---------------------	-------	---------------------	--------

Technische specificaties derde oven



Netto volume, 3e oven	35 l
Bruto volume, oven 3	41 l
Materiaal ovenruimte	Ever Clean emaille
Aantal kookniveaus	2
Type ovenrekken	Metalen zijsteunen
Opening deur	Neerwaarts
Uitneembare ovendeur	Ja
Volledig glazen binnendeur	Ja
Uitneembaar glas binnendeur	Ja

Aantal ruiten ovendeur	3
Aantal thermo-reflecterende ruiten	1
Veiligheidsthermostaat	Ja
Koelsysteem	Mantelkoeling
Afmetingen bruikbare interne ovenruimte (hxbxd)	169x440x443 mm
Temperatuurregeling	Elektro-mechanisch
Grote vlakgrill - vermogen	2700 W
Type grill	Elektrisch
Kantelbare grill	Ja

Opties derde oven

Minimum temperatuur	50 °C	Maximum temperatuur	260 °C
---------------------	-------	---------------------	--------

Meegeleverde accessoires primaire oven en kookplaat

Ovenrooster met stop	1	Bakplaat (40 mm)	1
----------------------	---	------------------	---

Meegeleverde accessoires secundaire oven


Ovenrooster met stop	3
----------------------	---

Elektrische aansluiting

Nominale aansluitwaarde 7600 W
Stroom 33 A
Spanning 220-240 V
Spanning 2 (V) 380-415 V
Testkabel Ja

Type stroomkabel
Frequentie
Connection box
Stekker

Double and Three Phase
50/60 Hz
5 polig
Nee



Compatible Accessories

AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BNP608T

Teflon bakplaat, 8mm diep




GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT90N9

Splashback black , 90 cm, suitable for BU & BM cookers




PALPZ

Pizzapallet inox met plooibaar handvat, 315x325 mm



SMOLD

Set van 7 siliconen vormen voor ijsjes, pralines, ijsblokjes of porties. -60°C tot 230°C.




BBQ

Dubbelzijdig



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



GRM

Moka houder voor gaskookplaten



GTT

Volledig uitschuifbare telescopische rails (1 niveau) voor traditionele ovens (SF-).



KITH93

Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)



SFLK1

Child lock



WOKGHU

Gietijzeren wok steun



Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.		Energy efficiency class A
	Installation in column: Installation in column.		Air cooling system: to ensure a safe surface temperatures.
	B: Product energy rating, measured from A+++ to D / G depending on the product family.		Double glazed doors: Number of glazed doors.
	Triple glazed doors: Number of glazed doors.		Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.
	Circulaire: De combinatie van de ventilator en het ronde element eromheen zorgt voor een hete lucht kookmethode. Dit biedt vele voordelen, waaronder geen voorverwarmen als de kooktijd meer dan 20 minuten bedraagt, geen smaakoverdracht bij het gelijktijdig bereiden van verschillende soorten voedsel, minder energie en kortere kooktijden. Geschikt voor alle soorten voedsel.		Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
	Side lights: Two opposing side lights increase visibility inside the oven.		The oven cavity has 2 different cooking levels.
	The oven cavity has 4 different cooking levels.		The oven cavity has 9 different cooking levels.
	Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.		Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.		The capacity indicates the amount of usable space in the oven cavity in litres.
	The capacity indicates the amount of usable space in the oven cavity in litres.		The capacity indicates the amount of usable space in the oven cavity in litres.
	DIGI screen display + bedieningsknoppen		Knobs control

Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removable inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat