D4152E



Product Family	Refrigerator
Installation	Built-in
Category	Top Mount
Built-in niche	158
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709338534

Aesthetics

Aesthetic	Universale	**Logo**	Silk screen
Colour	White	**Door shelves profile color**	White
Design	Flat	**Drawers profile color**	White
Material	Metal sheet	**Color of glass shelf profile**	White
Side material	Steel	**Display**	LED
Side colour	White	**Display position**	Interno (cella frigo)

Refrigerator compartment features

No. of adjustable shelves	4	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**No. of lights refrigerator compartment**	1
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	Standard	**Type of internal light (fridge)**	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Number of adjustable door shelves	2

Other Refrigerator features

Accessories	Egg tray

Other Freezer features

Accessories	1 ice box

Other technical features



Functions display	Fast freezing
Fast freezing button	Yes
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (g)	50 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	194 kWh/a	**Airborne acoustical noise emissions**	33 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	13 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	6,3 kg/24h
Total net volume	249 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	50 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	199 l		

Electrical Connection

Electrical connection rating	200 W	**Frequency (Hz)**	50 Hz
Current	1,5 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	548 mm	**Height**	1575 mm
Width of the built-in niche	560 mm	**Height of the built-in niche**	1580 mm
Depth without handle	549 mm	**Product width with maximum doors opening**	549 mm
Depth of the built-in niche	550 mm	**Spacer depth**	38 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche