

# DF262DB



|                          |               |
|--------------------------|---------------|
| <b>Product Family</b>    | Dishwashers   |
| <b>Commercial width</b>  | 60 cm         |
| <b>Commercial height</b> | 85 cm         |
| <b>Installation</b>      | Free-standing |
| <b>Nº baskets</b>        | 2             |
| <b>Motor</b>             | Inverter 2.0  |
| <b>EAN code</b>          | 8017709335960 |



## Programs



|                                  |                   |                     |     |
|----------------------------------|-------------------|---------------------|-----|
| <b>N. of programmes</b>          | 8                 | <b>ECO</b>          | Yes |
| <b>Washing temperatures</b>      | 50, 60, 65, 70 °C | <b>Mix</b>          | Yes |
| <b>Soak</b>                      | Yes               | <b>Self clean</b>   | Yes |
| <b>Full express - 60 minutes</b> | Yes               | <b>Intense 60°</b>  | Yes |
| <b>Express 50°</b>               | Yes               | <b>Auto 50°-60°</b> | Yes |

## Options



|                           |                |                         |     |
|---------------------------|----------------|-------------------------|-----|
| <b>Delay timer option</b> | Up to 24 hours | <b>Crystal option</b>   | Yes |
| <b>Extreme option</b>     | Yes            | <b>Sterilise option</b> | Yes |

## Baskets

|  |                          |  |                  |
|--|--------------------------|--|------------------|
| <b>Basket colour</b>                         | Grey                     | <b>Lower Basket</b>                          | With fixed racks |
| <b>Basket components colour</b>              | Grey                     | <b>Largest loadable dish in lower basket</b> | 31.0 cm          |
| <b>Upper Basket</b>                          | With central fixed racks | <b>Colour Inner Components</b>               | Grey             |
| <b>Height adjustment of the upper basket</b> | On two levels (4 cm)     | <b>Cutlery basket</b>                        | Yes              |
| <b>Largest loadable dish in upper basket</b> | 20,0 cm                  |  |                  |

## Technical Features



|                               |   |  |   |
|-------------------------------|---|--|---|
| <b>Width (mm)</b>             | 598 mm  | <b>Water softener</b>                          | With electronic setting   |
| <b>Depth (mm)</b>             | 600 mm  | <b>Turbidity sensor</b>                        | Yes   |
| <b>Display type</b>           | LED display   | <b>Aquatest</b>                                |   |
| <b>Product Height (mm)</b>    | 848 mm  | <b>Water supply</b>                            | Single; cold/hot water max. 60°C - energysave with hot water up to 35%                          |
| <b>Controls</b>               | Electronic  |  |   |
| <b>Display</b>                | Delayed start, Programme time indicator, Time to end indication | <b>Max water hardness</b>                      | 90°fH; 50°dH  |
|                               |   | <b>Drying system</b>                           | Natural condenser drying, with Dry Assist automatic door opening system at the end of the cycle |
| <b>Programme graphics</b>     | Symbols   |  |   |
| <b>Salt light indicator</b>   | Light   | <b>Tub material</b>                            | Stainless steel   |
| <b>Rinse aid indicator</b>    | Light   | <b>Filter</b>                                  | Stainless steel   |
| <b>Progress indicator</b>     | Yes   | <b>Concealed heating element</b>               | Yes   |
| <b>End of cycle indicator</b> | On display, with acoustic signal                                | <b>Hinges</b>                                  | Self balancing with fixed hinges  |
| <b>Washing system</b>         | Standard  | <b>Adjustable feet</b>                         | Just for levelling  |
| <b>Third spray arm</b>        | Single  | <b>Depth of dishwasher with open door (mm)</b> | 1146 mm   |
|                               |   | <b>Removable top</b>                           | Yes   |
|                               |   | <b>Top cover</b>                               | In plastic  |


## Performance / Energy Label - Reg. 2019



|  |            |   |                  |
|--|------------|---|------------------|
| <b>Energy Efficiency Class</b>   | D          | <b>Programme duration</b>                       | 4:00 h:min       |
| <b>Energy consumption [per 100 cycles, based on the eco programme]</b> | 94 kWh     | <b>Airborne acoustical noise emissions</b>      | 46 dB(A) re 1 pW |
| <b>Rated capacity (ps)</b>   | 13         | <b>Airborne acoustical noise emission class</b> | C                |
| <b>Water consumption [per cycle]</b>                                   | 9.9 litres | <b>Energy efficiency Index (EEI)</b>            | 55.9             |

## Electrical Connection

|                        |           |                                  |                    |
|------------------------|-----------|----------------------------------|--------------------|
| <b>Connected power</b> | 1950 W    | <b>Type of connection</b>        | Single-phase       |
| <b>Current</b>         | 10 A      | <b>Power supply cable length</b> | 150 cm             |
| <b>Voltage</b>         | 220-240 V | <b>Plug</b>                      | (G) UK e Singapore |
| <b>Frequency (Hz)</b>  | 50 Hz     |                                  |                    |




---

## Compatible Accessories

---

**KITINC**



**KITPLV2**

Kit extension for dishwasher and washing machine: lenght mt. 2



## Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. Based on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



This option provides special care for a delicate load. It prevents rapid changes in the wash temperature of the selected programme and reduces it to 4



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Option which provides better cleaning results by keeping the temperature between 65 and 70°C for at least 10 minutes during the last rinsing phase.



Energy efficiency class D



Option which improves the washing results of the selected programme. It increases the wash temperature and duration.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. When this program is selected, the dishwasher recognises the type of dirt and automatically adjusts the washing parameters as appropriate.



A quick programme suitable for washing a load with fresh and light soil.



Programme suitable for washing and drying heavily soiled items with encrusted residues.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



13 place settings: Number of place settings.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.