

DF344BX





Product Family Dishwashers Commercial width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709307806



Yes

Programs

























N. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO Yes

Auto sensor 45-65

Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes Hygiene 99,9% Yes

Options









Dry Assist option Dry Assist+ option

Delay timer option

Yes

1/2 load FlexiZone Yes

option

Special programs option Yes

Baskets





Basket colour

Basket components

colour

Handle

Grey

Grey

In plastic on upper and

lower basket

Up to 24 hours

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket

Lower basket with anti- Yes

drip inserts



Upper Basket

Glass holder

Height adjustment of the upper basket

Sliding Guides Extra

Glide

With 3 foldable racks

Yes

On three levels (5 cm)

Yes

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components

Cutlery basket

Blue

Yes

Technical Features









Width (mm) Depth (mm) Display type

Product Height (mm)

Controls

Display

Programme graphics

On/off indicator Salt light indicator Rinse aid indicator **Progress indicator**

End of cycle indicator

Washing system Third spray arm

:::**/:::**

598 mm 600 mm

LED (external) 848 mm

Electronic

Delayed start, Programme time indicator, Time to end

indication

Symbols and printed key

Yes Light Light Yes

On display, with acoustic

signal

Planetarium Single

Water softener With electronic setting Turbidity sensor

Aquatest

Flood protection system

Water supply

Yes

Single; cold/hot water max.

60°C - energysave with hot water up to 35%

Total Acquastop

Max water hardness 100°fH;58°dH

Drying system

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle

Steam protection In plastic **Tub** material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges

Self balancing with fixed

hinges

1168 mm

Yes

Adjustable feet Just for levelling Back cover Yes, with covered counterweight

Depth of dishwasher with open door (mm)

Removable top

Yes, with optional KIT

Performance / Energy Label - Reg. 2019

63 kWh









Energy Efficiency Class

Energy consumption [per 100 cycles, based on the eco programme]

Rated capacity (ps) 13 Water consumption [per 9,0 litres

cycle]

Programme duration

Airborne acoustical noise emissions

Airborne acoustical noise emission class

Energy efficiency Index

4:25 h:min

44 dB(A) re 1 pW

В

37,9

Electrical Connection

Connected power Current

1800 W 13 A

Type of connection

Single-phase




Voltage Frequency (Hz) 220-240 V 50 Hz Power supply cable length

140 cm

Plug

(G) UK e Singapore





Compatible Accessories

KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

KITINC



KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



Alternative products



DF344BW

Colour: White



Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The ExtraGlide guides system makes the second basket run even smoother and softer. It facilitates movement even when fully loaded, and thanks to the increased excursion, facilitates the insertion of dishes into the basket.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.





Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (



Energy efficiency class B



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.