

DF352CW

| | |
|-------------------|---------------|
| Product Family | Dishwashers |
| Width | 60 cm |
| Commercial height | 85 cm |
| Installation | Free-standing |
| N° baskets | 3, Flexi |
| EAN code | 8017709307783 |



Programmes



| | |
|---------------------------|---------------------------|
| No. of programmes | 10 |
| Washing temperatures | 38, 45, 50, 65, 70, 75 °C |
| Soak | Yes |
| Express 27' | Yes |
| Crystal | Yes |
| Full express - 60 minutes | Yes |
| ECO | Yes |

| | |
|----------------|-----|
| Mix | Yes |
| Quiet (~2 dB) | Yes |
| Intense | Yes |
| Sterilise | |
| Hygiene 99,9% | Yes |
| Daily 1/2 load | Yes |
| Intensive 65° | |

Options



| | |
|----------------------|--|
| Energy saving option | |
| EnerSave | |
| Dry Assist option | |

| | |
|-------------------------|----------------------------------|
| Delay timer option | 3-6-9 hours, with automatic soak |
| Special programs option | Yes |

Baskets



| | |
|--------------------------|--------------------------------------|
| Basket colour | Grey |
| Basket components colour | Grey |
| Handle | In plastic on upper and lower basket |

| | |
|---------------------------------------|-----------------------|
| Largest loadable dish in upper basket | 19,0 cm |
| Lower Basket | With 2 foldable racks |
| Lower basket with anti-drip inserts | Yes |

| | | | |
|---------------------------------------|----------------------|---------------------------------------|---------|
| Upper Basket | With 1 foldable rack | Largest loadable dish in lower basket | 30,0 cm |
| Glass holder | Yes | Colour Inner Components | Blue |
| Height adjustment of the upper basket | On three levels | | |


Technical Features



| | |
|-------------------------|--------------------------------------|
| Width (mm) | 598 mm |
| Depth (mm) | 600 mm |
| Product Height (mm) | 848 mm |
| Controls | Electronic |
| Programme graphics | Symbols |
| On/off indicator | Yes |
| Salt light indicator | Light |
| Rinse aid indicator | Light |
| End of cycle indicator | Led on display, with acoustic signal |
| Washing system | Orbital |
| Third spray arm | Single |
| Water softener | With electronic setting |
| Flood protection system | Single Acquastop |

| | |
|---|---|
| Water supply | Single; cold/hot water max. 60°C - energysave with hot water up to 35% |
| Max water hardness | 100°FH;58°dH |
| Drying system | Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle |
| Tank material | Stainless steel |
| Filter | Stainless steel |
| Concealed heating element | Yes |
| Hinges | Self balancing with fixed hinges |
| Adjustable feet | Just for levelling |
| Back cover | Yes, with covered counterweight |
| Depth of dishwasher with open door (mm) | 1168 |
| Removable top | Yes, with optional KIT |
| Top cover | In plastic |

Performance / Energy Label



| | |
|---|------------|
| Energy Efficiency Class (Washing cycle) | C |
| Energy consumption [per 100 cycles, based on the eco programme] | 73 KWh |
| Rated capacity (ps) | 13 |
| Water consumption [per cycle] | 9,0 litres |

| | |
|--|------------------|
| Programme duration | 4:25 h:min |
| Airborne acoustical noise emissions (spinning phase) | 45 dB(A) re 1 pW |
| Airborne acoustical noise emission class | C |
| Energy efficiency Index (EEI) (Washing cycle) | 43,8 |

Electrical Connection

| | | | |
|-----------------|--------------------|---------------------------|--------------|
| Plug | (G) UK e Singapore | Frequency (Hz) | 50 Hz |
| Connected power | 1800 W | Type of connection | Single-phase |
| Current | 13 A | Power supply cable length | 140 cm |
| Voltage | 220-240 V | | |



Compatible Accessories



KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITINC





















a steel bar fitted on the top will block the dishwasher at the top.



KITPLV2

Kit extension for dishwasher and washing machine: length mt. 2

Symbols glossary

| | | | |
|--|--|---|---|
|  | Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necessary to prevent an accidental leakage of water inside the appliance. |  | Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying. |
|  | Energy efficiency class C |  | Delay Timer: The delay timer can postpone the start of the program by up to 24 hours. |
|  | The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level. |  | Noise Level: Excellent insulation and special devices keep noise to a minimum. |
|  | Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash. |  | Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china. |
|  | 1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher. |  | Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option. |
|  | ... |  | Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use. |
|  | ... |  | ... |
|  | Soak programme: The soak programme provides a rinse to prevent dirt from drying. |  | Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load. |
|  | HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising |  | Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°C eliminating virtually all bacteria. |
|  | The symbols show the number of plate settings of the dishwasher. |  | System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher. |

Benefit

Orbital Wash System

The Orbital Wash System ensures even water distribution, delivering deep cleaning while keeping noise levels low, thanks to its dual rotating spray arms

Orbital washing system, which, thanks to its double arm, its 7 water exit points and thanks to overlapping and simultaneous rotations and 40 rotations per minute, allows ample coverage of the tank area, thus guaranteeing optimal results in any basket-loading configuration.