

DF362DQB



Product Family Dishwashers Commercial width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, Flexi Motor Inverter 2.0 **EAN** code 8017709335977



Programs

















N. of programmes 8 Washing temperatures 50, 60, 65, 70 °C

Full express - 60 Yes minutes

Express 50° Yes

ECO Yes Mix Yes Self clean Yes Intense 60° Yes Auto 50°-60° Yes

Options









Delay timer option Extreme option

Up to 24 hours Yes

Crystal option Yes Sterilise option Yes

Baskets

Basket colour **Basket components**

colour

Grey Grey

Handle

In plastic on upper and

lower basket

Upper Basket With 3 foldable racks Yes

Glass holder

Height adjustment of the upper basket

Largest loadable dish in 20,0 cm

upper basket

With 2 foldable racks Lower Basket

Largest loadable dish in 31.0 cm

lower basket

Colour Inner Components Grey

On two levels (4 cm)

SMEG SPA 12/15/2025



Technical Features





598 mm Width (mm) 600 mm Depth (mm) LED display Display type Product Height (mm) 848 mm Controls Electronic

Display Delayed start, Programme time indicator, Time to end

indication

Programme graphics Symbols Salt light indicator Light Rinse aid indicator Light **Progress indicator** Yes

End of cycle indicator On display, with acoustic

signal

Standard Washing system Third spray arm Single

Water softener With electronic setting Turbidity sensor

Aquatest

Flood protection system Single Acquastop

Water supply

Yes

Single; cold/hot water max. 60°C - energysave with hot

water up to 35% 90°fH; 50°dH

Max water hardness Drying system

Natural condenser drying, with Dry Assist automatic

door opening system at the

end of the cycle Tub material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges Self balancing with fixed

hinges

Yes

Adjustable feet Just for levelling Depth of dishwasher 1146 mm

with open door (mm)

Removable top Yes Top cover In plastic

Performance / Energy Label - Reg. 2019









Energy Efficiency Class Energy consumption [per 100 cycles, based on the eco programme]

Rated capacity (ps)

Water consumption [per 10,5 litres cycle]

85 kWh

14

Programme duration Airborne acoustical noise emissions

Airborne acoustical noise emission class

Energy efficiency Index

(EEI)

4:00 h:min

46 dB(A) re 1 pW

C

49,9

Electrical Connection

Connected power 1950 W Current 10 A Voltage 220-240 V Frequency (Hz) 50 Hz

Type of connection Power supply cable

length


Plug

Single-phase 150 cm

(G) UK e Singapore

SMEG SPA 12/15/2025





SMEG SPA 12/15/2025




Compatible Accessories

KITINC



KITPLV2





SMEG SPA 12/15/2025



Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time



This option provides special care for a delicate load. It prevents rapid changes in the wash temperature of the selected programme and reduces it to 4



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



A quick programme suitable for washing a load with fresh and light soil.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



14 place settings: Number of place settings.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



Wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. When this program is selected, the dishwasher recognises the type of dirt and automatically adjusts the washing parameters as appropriate.



Programme suitable for washing and drying heavily soiled items with encrusted residues.



Option which improves the washing results of the selected programme. It increases the wash temperature and duration.



Option which provides better cleaning results by keeping the temperature between 65 and 70°C for at least 10 minutes during the last rinsing phase.



Energy efficiency class D



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.

SMEG SPA 12/15/2025