

DFD6133WH-2

Product Family Width Commercial height Installation N° baskets EAN code Dishwashers 60 cm 85 cm Free-standing 3, FlexiDuo 8017709249502



Programmes

ECO 50° Eco*	E.		
No. of programmes	5+5 quick programmes	Normal	Yes
Washing temperatures	38, 45, 50, 55, 65, 70 °C	Ultraclean	Yes
Soak	Yes	Daily 1/2 load	Yes
Rapid 27'	Yes	ECO Quick	Yes
Glass	Yes	Normal Quick	Yes
ECO	Yes	Strong and fast	Yes

Options

\odot			
Delay timer option	3-6-9 hours, with automatic soak	Quick Time option	Yes

Baskets

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx			
Basket colour	Grey	Lower Basket	With 2 foldable racks
Basket components colour	Grey	Lower basket with anti- drip inserts	Yes
Upper Basket Height adjustment of	With central fixed racks On three levels	Largest loadable dish in lower basket	30,0 cm
the upper basket		Colour Inner Components	Grey anti drop inserts, Grey pastic plate for regulation
Upper basket with EasyGlide System	Yes		second basket on three levels, Green Orbital



Largest loadable dish in 23,5 cm upper basket

Cutlery basket

13 place settings sliding

Technical Features



- Width (mm) Depth (mm) Product Height (mm) Controls **Programme graphics On/off indicator** Salt light indicator **Rinse aid indicator** End of cycle indicator Washing system Third spray arm Water softener
- 598 mm 600 mm 848 mm Electronic Symbols and printed key Yes Light Light Acoustic signal Orbital Single With electronic setting

Water supply Max water hardness Drying system Tank material Filter **Concealed** heating element Hinges

Adjustable feet Depth of dishwasher with open door (mm) Removable top

Flood protection system Single Acquastop Single; cold/hot water max. 60°C - energysave with hot water up to 35% 100°fH;58°dH Natural condenser drying Stainless steel Stainless steel Yes Self balancing with fixed hinges Just for levelling

Yes, with optional KIT

1168


Electrical Connection

Plug Connected power Current Voltage

(G) UK e Singapore 1800 W 13 A 220-240 V

Frequency (Hz) Type of connection Power supply cable length

50 Hz Single-phase 140 cm





Compatible Accessories

KITGH

racks

king

KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2

Kit glass holder. It has to be fitted on the

first basket but only if there are foldable

KITINC

a steel bar fitted on the top will block the dishwasher at the top.



Symbols glossary

ACQUARION	Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.	۲	Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.
A	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.	$\overline{\mathfrak{O}}$	Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.
	EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.		FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.
48 d8	Noise Level: Excellent insulation and special devices keep noise to a minimum.	CORNECTION OCENTRAL SYSTEM	Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.
65° ≷½≶	1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.	ECO 50°	Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.
Eco	Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.		Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday use.
؊	Soak programme: The soak programme provides a rinse to prevent dirt from drying.	C/A	Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.
1011	The symbols show the number of plate settings of the dishwasher.	000 9,8 lt	System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Benefit

FlexiDuo

For added convenience, the flexible third basket—FlexiDuo—adapts to accommodate various types of dishes, giving you extra space and better organisation with every load

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

Orbital Wash System

The Orbital Wash System ensures even water distribution, delivering deep cleaning while keeping noise levels low, thanks to its dual rotating spray arms

Orbital washing system, which, thanks to its double arm, its 7 water exit points and thanks to overlapping and simultaneous rotations and 40 rotations per minute, allows ample coverage of the tank area, thus guaranteeing optimal results in any basket-loading configuration.