

# **DFFABBL**





**Product Family** Dishwashers Width 60 cm 85 cm Commercial height

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709307868



### **Programmes**

























No. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

**ECO** Yes Auto sensor 45-65

Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes Hygiene 99,9% Yes

## **Options**









Dry Assist+ option **Delay timer option** 

Up to 9 hours, with automatic soak

1/2 load FlexiZone option (varied distribution)

Yes

Yes

Special programs option Yes

### **Baskets**



colour



**Basket colour** Grey **Basket components** 

Grey

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket



Handle In plastic on upper and

lower basket

**Upper Basket** 

Glass holder

Height adjustment of the upper basket

Upper basket with EasyGlide System

With 3 foldable racks

Yes

On three levels

Yes

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner

Components

**Cutlery basket** Yes

### **Technical Features**







Width (mm)

Depth (mm) Display type

Product Height (mm) Controls

Display

Programme graphics On/off indicator

Salt light indicator Rinse aid indicator

End of cycle indicator Washing system

Third spray arm

Water softener

598 mm

627 mm 1 digit

885 mm Electronic

Delayed start Symbols and label

Yes Liaht

> Light Acoustic signal

Planetarium Single

With electronic setting

Turbidity sensor

Aquatest

Flood protection system Total Acquastop

Water supply

Yes

Grey

Single; cold/hot water max.

60°C - energysave with hot

water up to 35%

Max water hardness

Drying system

100°fH;58°dH Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

Tank material Stainless steel

Filter

Concealed heating

element

Hinges

Stainless steel Yes

Self balancing with fixed

hinges

Adjustable feet Just for levelling

Back cover Depth of dishwasher with open door (mm)

Top cover

Yes 1171 mm

In plastic

## Performance / Energy Label









**Energy Efficiency Class** 

(Washing cycle) **Energy consumption** [per 100 cycles, based

on the eco programme] Rated capacity (ps)

Water consumption [per 9,0 litres

cycle]

63 kWh

13

noise emissions (spinning phase) Airborne acoustical noise emission class

Programme duration

Airborne acoustical

Energy efficiency Index

4:25 h:min

45 dB(A) re 1 pW

37,9

С

(EEI) (Washing cycle)

## **Electrical Connection**




Connected power 1800 W Type of connection Single-phase

Current 13 A Power supply cable 140 cm

Voltage 220-240 V length

Frequency (Hz) 50 Hz Plug (G) UK e Singapore





# **Compatible Accessories**

#### **KITGH**



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



#### **KITINC**

a steel bar fitted on the top will block the dishwasher at the top.

#### KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2



# Alternative products



**DFFABCR** 

Colour: Cream



### Symbols glossary



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Energy efficiency class B



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM\_WASHING\_SYSTEM\_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



---







...

S)





HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.