

DFFABBL





Product Family Dishwashers Width 60 cm 85 cm Commercial height

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709307868



Programmes

























No. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO Yes

70°

Auto sensor 45-65 Yes Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes Hygiene 99,9% Yes

Options









Dry Assist+ option **Delay timer option**

Up to 9 hours, with automatic soak

1/2 load FlexiZone option (varied distribution)

Yes

Special programs option Yes

Baskets





Basket colour Grey

Basket components colour

Grey

Largest loadable dish in 19,0 cm upper basket

With 4 foldable racks Lower Basket



Handle In plastic on upper and

lower basket

Upper Basket With 3 foldable racks

Glass holder

Height adjustment of the upper basket

Upper basket with EasyGlide System

Yes

On three levels

Yes

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner

Components

Cutlery basket Yes

Technical Features







Width (mm) Depth (mm) 627 mm

1 digit Display type Product Height (mm) 885 mm

Controls Electronic Display Delayed start

Programme graphics Symbols and label On/off indicator Yes Salt light indicator Liaht

Rinse aid indicator Light End of cycle indicator Acoustic signal Washing system Planetarium

Third spray arm

Water softener

Turbidity sensor 598 mm

Aquatest

Flood protection system Total Acquastop

Water supply

Grey

Yes

Single; cold/hot water max. 60°C - energysave with hot

water up to 35%

Max water hardness

Drying system

100°fH;58°dH

Natural condenser drying, with Dry Assist + automatic

door opening system at the

end of the cycle

Tank material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges

Self balancing with fixed

hinges

Yes

Adjustable feet Just for levelling

Back cover Depth of dishwasher with open door (mm)

Top cover

1171 mm

Yes

In plastic

Performance / Energy Label









Energy Efficiency Class (Washing cycle)

Energy consumption [per 100 cycles, based

on the eco programme] Rated capacity (ps) 13

Water consumption [per 9.0 litres

63 kWh

Single

With electronic setting

cycle]

Programme duration Airborne acoustical noise emissions

(spinning phase) Airborne acoustical

noise emission class

(EEI) (Washing cycle)

4:25 h:min

45 dB(A) re 1 pW

37.9

С

Energy efficiency Index


Electrical Connection



Connected power 1800 W Type of connection Single-phase

Current 13 A Power supply cable 140 cm Voltage 220-240 V length

Voltage 220-240 V length
Frequency (Hz) 50 Hz Plug (G) UK e Singapore





Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2



Alternative products



DFFABCR

Colour: Cream



Symbols glossary



Aguatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 45°-65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.











The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



Energy efficiency class B





HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.