

DFFABBL



Product Family Commercial width Commercial height Installation N° baskets Motor EAN code Dishwashers 60 cm 85 cm Free-standing 3, FlexiDuo Inverter 2.0 8017709307868



Programs

(27min 45° 60 ECO 50°	AUTO 65°	<u>0</u> 75°	
N. of programmes	10+1	Auto sensor 45-65	Yes
Washing temperatures	38, 45, 50, 55, 65, 70, 75 °C	Mix	Yes
Soak	Yes	Quiet (-2 dB)	Yes
Express 27'	Yes	Intense	Yes
Crystal	Yes	Self clean	Yes
Full express - 60 minutes	Yes	Hygiene 99,9%	Yes
ECO	Yes		

Options



Dry Assist+ option Delay timer option Yes Up to 9 hours 1/2 load FlexiZone Yes optionSpecial programs option Yes

Baskets



Basket colour Basket components colour Handle Grey Grey

In plastic on upper and lower basket

Largest loadable dish in 19,0 cm upper basket Lower Basket With 4 foldable racks Lower basket with antidrip inserts



Upper Basket Glass holder Height adjustment of the upper basket Upper basket with EasyGlide System With 3 foldable racks Yes On three levels (5 cm) Yes Largest loadable dish in 30,0 cm lower basket Colour Inner Grey Components Cutlery basket Yes

Technical Features



Width (mm) Depth (mm) Display type Product Height (mm) Controls Display Programme graphics On/off indicator Salt light indicator Rinse aid indicator End of cycle indicator Washing system Third spray arm Water softener 598 mm 627 mm LED display (1 digit) 885 mm Electronic Delayed start Symbols and label Yes Light Light Acoustic signal Planetarium Single With electronic setting

Turbidity sensor Aquatest	Yes
Flood protection system	Total Acquastop
Water supply	Single; cold/hot water max. 60°C - energysave with hot water up to 35%
Max water hardness	100°fH;58°dH
Drying system	Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle
Tub material	Stainless steel
Filter	Stainless steel
Concealed heating element	Yes
Hinges	Self balancing with fixed hinges
Adjustable feet	Just for levelling
Back cover	Yes
Depth of dishwasher with open door (mm)	1171

In plastic

Performance / Energy Label - Reg. 2019



Energy Efficiency ClassBEnergy consumption63 kWh[per 100 cycles, based63 kWhon the eco programme]13Rated capacity (ps)13Water consumption [per cycle]9,0 litres


Programme duration4:25 h:minAirborne acoustical45 dB(A) re 1 pWnoise emissionsCAirborne acousticalCnoise emission classST,9Energy efficiency Index37,9(EEI)C

Top cover

Electrical Connection

Plug	(G) UK e Singapore	Frequency (Hz)	50 Hz
Connected power	1800 W	Type of connection	Single-phase
Current	13 A	Power supply cable	140 cm
Voltage	220-240 V	length	







Compatible Accessories

KITGH

racks



KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

Kit glass holder. It has to be fitted on the

first basket but only if there are foldable

KITINC





Alternative products



DFFABCR

Colour: Cream



Symbols glossary

The Aquatest sensor is an electronic sensor that :::**/:::** measures the degree of water transparency at the end of the initial soaking phase, ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water

B Energy efficiency class B



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.

FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.




Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.





 $(\mathbf{\hat{Y}})$

To improve the drying of dishes without leaving stains.

Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time

EasyGlide: Convenient EasyGlide system for easy ---unloading of the appliance that allows reaching maximum flexibility of load of the machine.

(¹/2) FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.

Þ

The Planetarium washing system, with high rotations per minute, quarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



91

13 place settings: Number of place settings.

System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



•se•smeg

60 min Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.

.+	
ابت	
انٹ	
j	

Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.

(ŝ	

Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (

(A)
INVERTER 2.0

The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Benefit (TT)

FlexiDuo

The flexible third basket provides additional space, adapting to the load to accommodate various types of dishes, ensuring optimal organization and efficient use of interior capacity

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

Planetarium Wash System

Full and deep wash coverage thanks to the advanced movement of the spray arm, an innovation patented by Smeg

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

DryAssist+

The Dry Assist+ system of automatic door opening at the end of the cycle ensures fast and energy-efficient drying