

DFFABCR





Product Family Dishwashers Width 60 cm 85 cm Commercial height

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 EAN code 8017709307875



Programmes























No. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO Yes Auto sensor 45-65 Yes Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes Hygiene 99,9% Yes

Options









Dry Assist+ option **Delay timer option**

Up to 9 hours, with automatic soak

1/2 load FlexiZone option (varied distribution)

Yes

Special programs option Yes

Baskets





Basket colour Grey **Basket components** Grey

colour

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket



Handle In plastic on upper and

lower basket

Upper Basket With 3 foldable racks

Glass holder

Height adjustment of the upper basket

Upper basket with EasyGlide System

Yes

On three levels

Yes

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Cup shelves, Handle, Anti Components drop inserts, Cutlery basket:

same colour of Dishwasher

Cutlery basket Yes

Technical Features







Width (mm) 598 mm Depth (mm) 627 mm 1 digit Display type

Product Height (mm) 885 mm Controls Electronic Display Delayed start

Programme graphics Symbols and label

On/off indicator Yes Salt light indicator Liaht Rinse aid indicator Light

End of cycle indicator Acoustic signal Washing system Planetarium

Water softener

Third spray arm Single With electronic setting Turbidity sensor Yes Aquatest

Water supply

Flood protection system Total Acquastop

Single; cold/hot water max. 60°C - energysave with hot

water up to 35%

Max water hardness

Drying system

100°fH;58°dH

Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

Tank material Stainless steel Stainless steel

Filter

Concealed heating

element Hinges

Self balancing with fixed hinges

Yes

Adjustable feet Just for levelling

Back cover Depth of dishwasher with open door (mm)

Top cover

Yes 1171 mm

In plastic

Performance / Energy Label









Energy Efficiency Class

(Washing cycle) 63 kWh **Energy consumption** [per 100 cycles, based

on the eco programme] Rated capacity (ps) 13

Water consumption [per 9.0 litres

cycle]

Programme duration Airborne acoustical noise emissions (spinning phase)

Airborne acoustical noise emission class

Energy efficiency Index

4:25 h:min

45 dB(A) re 1 pW

37.9

С

(EEI) (Washing cycle)

Electrical Connection




Connected power 1800 W Type of connection Single-phase

Current 13 A Power supply cable 140 cm

Voltage 220-240 V length

Frequency (Hz) 50 Hz Plug (G) UK e Singapore





Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2



Alternative products



DFFABBL

Colour: Black



Symbols glossary



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Energy efficiency class B



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



•••



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



•••



75



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



a rinse to prevent dirt from drying.

HYGIENE 99.9% High-temperature washing

programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making

it ideal for sanitising

Soak programme: The soak programme provides



70°

SMEG SPA

Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating

virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.

28/11/2025





Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.