

















DHT83LIT-1

| | |
|------------------|---------------------|
| EAN Code | 8017709216412 |
| Product Family | Tumble dryer |
| Commercial width | 60cm |
| Installation | Free-standing |
| Drying system | Heat pump condenser |
| Load type | Frontal |



Programmes

| | |
|--------------------|---------------|
| Controls | Electronics |
| Programme graphics | Written in IT |
| No. of programmes | 16 |
| Programmes | |




| | | |
|---|--|---|
|  Cotton Iron Dry |  Cotton Extra Dry |  Synthetic Iron Dry |
|  Synthetic Cupboard Dry |  Delicates |  Refresh |
|  Baby |  Daily |  Cotton Cupboard Dry |
|  Quick 49 min |  Jeans |  Mix |
|  Shirts 30 min |  Timed Programmes |  Night |
|  Wool | | |

Special programmes

| | | |
|--|---|--|
|  Wool |  Refresh |  Quick 49 min |
|  Delicates |  Baby | |

Display

| | | |
|-------------|-------------------------|---------------------------------------|
| Delay start | Residual time indicator | Visualisation of the selected options |
|-------------|-------------------------|---------------------------------------|

| | |
|------------------------------------|---|
| Display type |  |
| Programme progress indicator |  |
| End of cycle indicator |  |
| Clean filter indicator | Yes |
| Condenser container full indicator | Yes |

Technical Features



| | | | |
|-------------------------------|--------------------|--|--|
| Type of motor | Brushless/Inverter | Transparent door | Yes |
| Functioning | Electronic control | Door size | 40 cm |
| Humidity sensor | Yes | Max. door opening angle | 178 ° |
| Time drying selection | From 10 to 160 min | Door hinges | Right |
| Drying temperature regulation | Yes | Reversible door | Yes |
| Cooling down phase | Yes | Child lock (programme set lock) | Yes |
| Anti-iron phase | Yes | Water condenser position | At the top |
| Alternate drum rotation | Yes | Heating pump system | Yes |
| Internal light | Yes | Type of cooling gas | R134a |
| Condenser filter | Yes | Amount of cooling gas in Kg. | 0,52 |
| Fluff filter | Yes | Condenser water drain hose | Yes |
| Drum material | Stainless steel | Column installation, with compatible washing-machine | With stacking kit, available as optional accessory |
| Drum volume | 118 l | Optional | KITSPF-1 - Stacking kit (54 cm) |

Performance / Energy Label



| | | | |
|---|--------------|---|----------|
| Load capacity (cotton) | 8 kg | The duration of the left on mode | 30 min. |
| Type of dryer | Heat pump | Programme time of the standard cotton programme at full load | 174 min. |
| Type | condensation | Programme time of the standard cotton programme at partial load | 108 min. |
| Energy efficiency class | A+++ | Weighted programme time of the standard cotton programme at full and partial load | 136 min. |
| Annual energy consumption | 176 KWh | Condensation efficiency class | A |
| Energy consumption of the standard cotton programme at full load | 1.42 KWh | | |
| Energy consumption of the standard cotton programme at partial load | 0.81 KWh | | |

Power consumption of
the off-mode for the
standard cotton
programme at full load

0.5 W

Power consumption of
the left-on mode for the
standard cotton
programme at full load

1.0 W

Average condensation
efficiency of the
standard cotton
programme at full load

91 %

Average condensation
efficiency of the
standard cotton
programme at partial
load


91 %

Average condensation
efficiency of the
standard cotton
programme at full and
partial load





























91 %







Noise level for the
standard cotton
programme at full load

65 dB(A) re 1 pW



Symbols glossary

| | | | |
|--|---|---|--|
|  | Easy Iron: this is an option which can be selected to ensure the finished laundry is left with less creases to make ironing easier. |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
|  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating. |  | Delay timer: can be set to run the programme at a convenient time or to take advantage of off-peak energy periods. |
|  | LCD display: to optimize performance and simplify the use of the appliance. |  | 40 cm: Large loading hatch of 40 cm in diameter, makes laundry loading and unloading easier and faster with maximum ease of use. |
|  | This shows the amount of laundry that can be inserted into the tumble dryer in KG. |  | Humidity sensor: allows to adjust dryer to obtain the desired drying level (Iron dry, Cupboard dry and Extra dry), saving time and reducing energy consumption. In addition, manual adjusting allows you to program drying time according to your preferences. |
|  | End: Show the stage at which the program is in progress: the program has finished. |  | Internal lights: help to illuminate the inside of the drum. |
|  | Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption. |  | Noise Level: Excellent insulation and special devices keep noise to a minimum. |
|  | Baby: a cycle which ensures a high efficiency in the rinse to remove all traces of detergent from the tissues and protect the delicate children's skins. |  | Delicate: Clothing such as underwear, hosiery and luxury fabrics should be dried on the delicate cycle to help extend the life of the clothing. |
|  | Specific for child garments |  | Cupboard drying for cotton garments |
|  | Extra drying for cotton |  | Drying of cotton garments that need to be ironed |
|  | Specific for daily drying of cotton or synthetic garments |  | Delicate garments that allows the drying |
|  | For high speed centrifuged jeans |  | For synthetic fabrics without pigments and for cotton |
|  | The noise level is reduced at the lowest level |  | Drying cotton garments centrifuged at high speed in just 49 minutes |
|  | Gentle drying for shirts in 30 min. avoiding the formation of folds |  | For synthetic fabrics, ironing is not required |
|  | For synthetic fabrics, ironing is required |  | Selection of timed cycles at low temperatures |

| | | | |
|--|---|---|---|
|  | To dry wool clothes placed on a suitable basket |  | Super fast 49 min: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments. |
|  | Refresh: an ideal program to refresh the garments that have been kept for a long time indoors and eliminate unpleasant odors, without having to wash. |  | Wool: this programme for wool or delicate fabrics uses slower rotations of the drum to ensure the utmost care for clothing. |
|  | Shows the phase of program: Shows the phase in which the program is being. |  | Special program for garments / fabrics, such as children's clothes, which require sanitized and delicate washing. |