

# DI322BQLH







**Product Family** Dishwashers Width 60 cm Commercial height Maxi, 86cm

Installation Fully-integrated built-in

Kitchen panel Not supplied N° baskets 3, FlexiDuo Motor Inverter 2.0 EAN code 8017709307851



### **Programmes**























No. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes **ECO** Yes

Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes Hygiene 99,9% Yes **Delicate** Yes

# **Options**









Dry Assist+ option **Delay timer option** 

Up to 24 hours, with automatic soak

1/2 load FlexiZone Yes option (varied distribution) Special programs option Yes

### **Baskets**





**Basket colour Basket components** 

colour

Grey Grey

Upper basket with Yes EasyGlide System

Largest loadable dish in 19,0 cm

upper basket

**SMEG SPA** 22/11/2025



Handle In plastic on upper and

lower basket

Lower basket with anti- Yes

Lower Basket

drip inserts **Upper Basket** With 1 foldable rack

Largest loadable dish in 35,0 cm Glass holder Yes lower basket

Height adjustment of On three levels Colour Inner the upper basket Components

Blue

### **Technical Features**

Width (mm) 598 mm Depth (mm) 550 mm Display type 3 digit

Product Height (mm) 858 mm Controls Electronic

Display Delayed start, Programme

time indicator

Programme graphics Symbols and label

On/off indicator Yes Salt light indicator Light Rinse aid indicator Light ActiveLight End of cycle indicator Washing system Planetarium Third spray arm Single

Water softener With electronic setting

Flood protection system Total Acquastop

Water supply Single; cold/hot water max.

60°C - energysave with hot

With 4 foldable racks

water up to 35%

Max water hardness 100°fH:58°dH

Natural condenser drying, Drying system

with Dry Assist + automatic door opening system at the

end of the cycle

Steam protection In plastic Tank material Stainless steel Filter Stainless steel

Concealed heating

element Hinges

Self balancing, Sliding,

**FLEXIFIT** 

50 - 215 mm

Yes

Min. and max. frontal 2 - 10 kg

panel weight

Min. and max plinth

height

Adjustable feet 7cm, from 860 to 930 mm

Yes Back cover Depth of dishwasher

with open door (mm)

Back feet adjustable

from front Top cover 1186 mm

Yes

In plastic

# Performance / Energy Label









**Energy Efficiency Class** В

(Washing cycle)

**Energy consumption** 64 kWh [per 100 cycles, based

on the eco programme] Rated capacity (ps) 14

Water consumption [per 9.0 litres

cycle]

Programme duration Airborne acoustical noise emissions

(spinning phase) Airborne acoustical noise emission class

Energy efficiency Index (EEI) (Washing cycle)

4:25 h:min

42 dB(A) re 1 pW

В

37.8

# **Electrical Connection**


**SMEG SPA** 22/11/2025



Connected power 1800 W
Current 13 A
Voltage 220-240 V
Frequency (Hz) 50 Hz

Type of connection Power supply cable length Plug Single-phase 140 cm

(G) UK e Singapore



SMEG SPA 22/11/2025



## **Compatible Accessories**



#### KIT86CX-1

Door kit, stainless steel, Canali handle, fully integrated dishwasher h.86 cm Compatible with models with Flexifit and fixed fulcrum hinges.



#### KIT86PORTWH-1



#### KIT86PORTAN-1



KIT86PORTX-1



KIT86SPRAN



KIT86SPRMW



KIT86SPRX



**KITFLEXI** 

Kit for 60cm dishwashers with FlexiFit hinges for door panel weight >11 kg (max 15 kg 82 cm and 13,5 kg 86 cm)



#### **KITGH**

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



#### KITPL60B

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



#### KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



#### KITPL60X

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.





Kit extension for dishwasher and washing machine: length mt. 2

**SMEG SPA** 22/11/2025



### Symbols glossary



Activelight is an led light which projects a red spot onto the floor beneath the dishwasher when the appliance is in use.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Energy efficiency class B



COMM\_HEIGHT\_86\_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM\_WASHING\_SYSTEM\_72dpi



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



..



 $\langle \hat{\mathbf{S}} \rangle$ 

ak.

SMEG SPA 22/11/2025





HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.

SMEG SPA 22/11/2025