

DI331C





Product Family Dishwashers Width 60 cm Commercial height 82 cm

Installation Fully-integrated built-in

Kitchen panel Not supplied N° baskets 3, Flexi Motor Inverter 2.0 EAN code 8017709346393



Yes

Programmes





















No. of programmes 10 Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO

Mix Yes Quiet (-2 dB) Yes Intense Yes Hygiene 99,9% Yes Daily 1/2 load Yes

Options





Delay timer option

3-6-9 hours, with automatic

Special programs option Yes

soak

Baskets



Basket colour Grey Largest loadable dish in 19,0 cm

upper basket **Basket components** Grey

With 2 foldable racks Lower Basket colour

Handle In plastic on upper and Lower basket with anti- Yes

lower basket drip inserts

With 1 foldable rack **Upper Basket** Largest loadable dish in 30,0 cm

Glass holder Yes lower basket

SMEG SPA 01/12/2025



Height adjustment of the upper basket

On three levels

Colour Inner Components Blue

Technical Features







Width (mm) 598 mm Depth (mm) 570 mm Product Height (mm) 818 mm Electronic Controls Programme graphics Symbols On/off indicator Yes

Rinse aid indicator End of cycle indicator Washing system

Third spray arm

Salt light indicator

Water softener Flood protection system

Water supply

With electronic setting **Total Acquastop** Single; cold/hot water max.

Light

Light

Orbital

Single

Acoustic signal

60°C - energysave with hot water up to 35%

Max water hardness

Drying system

Steam protection Tank material

Filter Concealed heating

element Hinges

Min. and max. frontal

panel weight

Min. and max plinth

height

Adjustable feet **Back cover**

Depth of dishwasher with open door (mm) Back feet adjustable

from front

Top cover

100°fH;58°dH

Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

In plastic Stainless steel Stainless steel

Yes

Self balancing, Sliding,

7cm, from 820 to 890 mm

FLEXIFIT

2 - 9 kg

100 - 228 mm

Yes 1146 mm

Yes

In plastic

Performance / Energy Label









Energy Efficiency Class

(Washing cycle) **Energy consumption**

[per 100 cycles, based on the eco programme] Rated capacity (ps)

Water consumption [per 9,0 litres

cycle]

13

73 kWh

1800 W

13 A

Programme duration

Airborne acoustical noise emissions (spinning phase) Airborne acoustical noise emission class

Energy efficiency Index (EEI) (Washing cycle)

4:25 h:min

43 dB(A) re 1 pW

В

43,8

Electrical Connection

Connected power Current

Voltage 220-240 V Frequency (Hz) 50 Hz

Type of connection Power supply cable length


Plug

Single-phase 140 cm

(G) UK e Singapore

SMEG SPA 01/12/2025





SMEG SPA 01/12/2025



Compatible Accessories



KIT82CN



KIT82CX



KIT82SPRAN



KIT82SPRMW



KIT82SPRX




Kit for 60cm dishwashers with FlexiFit hinges for door panel weight >11 kg (max 15 kg 82 cm and 13,5 kg 86 cm)



KITGH


racks





KITPL60B

KITFLEXI






KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60X



Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.





Kit extension for dishwasher and washing machine: length mt. 2

SMEG SPA 01/12/2025



Symbols glossary



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Energy efficiency class C



COMM_HEIGHT_82_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



..





HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



...

SMEG SPA 01/12/2025